


ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-35627-1
Client Project/Site: Hoosick Falls WTP

For:
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Attn: Mr. Kirk Moline



Authorized for release by:
4/16/2021 12:52:29 PM

Paul Hobart, Project Manager
(617)312-8660
Paul.Hobart@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

A handwritten signature in black ink, appearing to read "Paul Hobart".

Paul Hobart
Project Manager
4/16/2021 12:52:29 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	8
Surrogate Summary	19
Isotope Dilution Summary	20
QC Sample Results	21
QC Association Summary	24
Lab Chronicle	26
Certification Summary	29
Method Summary	30
Sample Summary	31
Chain of Custody	32
Receipt Checklists	34

Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Job ID: 410-35627-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

Job Narrative
410-35627-1

Receipt

The samples were received on 4/13/2021 9:53 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.5°C

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: GAC Influent

Lab Sample ID: 410-35627-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonamide	4.1		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.4		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluorohexanoic acid	10		1.9	ng/L	1		537 DW	Total/NA
Perfluoroheptanoic acid	11		1.9	ng/L	1		537 DW	Total/NA
Perfluorooctanoic acid	440		19	ng/L	10		537 DW	Total/NA
Perfluorooctanesulfonic acid	3.5		1.9	ng/L	1		537 DW	Total/NA

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-35627-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	6.0		4.4	ng/L	1		537 (Mod)	Total/NA
Perfluorooctanoic acid	6.5		1.7	ng/L	1		537 DW	Total/NA

Client Sample ID: GAC Effluent

Lab Sample ID: 410-35627-3

No Detections.

Client Sample ID: PV-1_25

Lab Sample ID: 410-35627-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	4.9		4.4	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.5		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluorohexanoic acid	3.3		1.8	ng/L	1		537 DW	Total/NA
Perfluorooctanoic acid	26		1.8	ng/L	1		537 DW	Total/NA

Client Sample ID: PV-1_50

Lab Sample ID: 410-35627-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.3		4.4	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.0		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluorooctanoic acid	8.4		1.8	ng/L	1		537 DW	Total/NA

Client Sample ID: PV-1_75

Lab Sample ID: 410-35627-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.9		4.4	ng/L	1		537 (Mod)	Total/NA
Perfluorooctanoic acid	7.2		1.8	ng/L	1		537 DW	Total/NA

Client Sample ID: PV-2_25

Lab Sample ID: 410-35627-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.8		4.3	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: PV-2_50

Lab Sample ID: 410-35627-8

No Detections.

Client Sample ID: PV-2_75

Lab Sample ID: 410-35627-9

No Detections.

Client Sample ID: FTB01-210412

Lab Sample ID: 410-35627-10

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Env, LLC

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: LTB01-210412

Lab Sample ID: 410-35627-11

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Env, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: GAC Influent

Lab Sample ID: 410-35627-1

Date Collected: 04/12/21 09:50

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 11:25	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 11:25	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 11:25	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 11:25	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 11:25	1
Perfluorooctanesulfonamide	4.1		1.8	ng/L		04/13/21 16:16	04/15/21 11:25	1
Perfluoropentanoic acid	2.4		1.8	ng/L		04/13/21 16:16	04/15/21 11:25	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	105		29 - 189	04/13/21 16:16	04/15/21 11:25	1
M2-8:2 FTS	123		34 - 182	04/13/21 16:16	04/15/21 11:25	1
13C4 PFBA	83		41 - 132	04/13/21 16:16	04/15/21 11:25	1
13C5 PFPeA	94		33 - 155	04/13/21 16:16	04/15/21 11:25	1
13C8 PFOS	94		49 - 126	04/13/21 16:16	04/15/21 11:25	1
13C8 FOSA	56		10 - 143	04/13/21 16:16	04/15/21 11:25	1
13C3 PFHxS	96		32 - 145	04/13/21 16:16	04/15/21 11:25	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	10		1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluoroheptanoic acid	11		1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorooctanoic acid	440		19	ng/L		04/13/21 20:27	04/14/21 15:43	10
Perfluorononanoic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorodecanoic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorooctanesulfonic acid	3.5		1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
NEtFOSAA	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
NMeFOSAA	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1
Perfluorododecanoic acid	1.9	U	1.9	ng/L		04/13/21 20:27	04/14/21 15:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	92		70 - 130	04/13/21 20:27	04/14/21 15:31	1
d5-NMeFOSAA	96		70 - 130	04/13/21 20:27	04/14/21 15:43	10
13C2 PFDA	101		70 - 130	04/13/21 20:27	04/14/21 15:31	1
13C2 PFDA	89		70 - 130	04/13/21 20:27	04/14/21 15:43	10
13C2 PFHxA	107		70 - 130	04/13/21 20:27	04/14/21 15:31	1
13C2 PFHxA	93		70 - 130	04/13/21 20:27	04/14/21 15:43	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-35627-2

Date Collected: 04/12/21 09:55

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 11:46	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 11:46	1
Perfluorobutanoic acid	6.0		4.4	ng/L		04/13/21 16:16	04/15/21 11:46	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 11:46	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 11:46	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 11:46	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 11:46	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	115		29 - 189	04/13/21 16:16	04/15/21 11:46	1
M2-8:2 FTS	114		34 - 182	04/13/21 16:16	04/15/21 11:46	1
13C4 PFBA	71		41 - 132	04/13/21 16:16	04/15/21 11:46	1
13C5 PFPeA	73		33 - 155	04/13/21 16:16	04/15/21 11:46	1
13C8 PFOS	84		49 - 126	04/13/21 16:16	04/15/21 11:46	1
13C8 FOSA	69		10 - 143	04/13/21 16:16	04/15/21 11:46	1
13C3 PFHxS	94		32 - 145	04/13/21 16:16	04/15/21 11:46	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorooctanoic acid	6.5		1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
NEtFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
NMeFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 15:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	86		70 - 130	04/13/21 20:27	04/14/21 15:54	1
13C2 PFDA	82		70 - 130	04/13/21 20:27	04/14/21 15:54	1
13C2 PFHxA	86		70 - 130	04/13/21 20:27	04/14/21 15:54	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: GAC Effluent

Lab Sample ID: 410-35627-3

Date Collected: 04/12/21 10:00

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 11:57	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 11:57	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 11:57	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 11:57	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 11:57	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 11:57	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 11:57	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	111		29 - 189	04/13/21 16:16	04/15/21 11:57	1
M2-8:2 FTS	111		34 - 182	04/13/21 16:16	04/15/21 11:57	1
13C4 PFBA	66		41 - 132	04/13/21 16:16	04/15/21 11:57	1
13C5 PFPeA	69		33 - 155	04/13/21 16:16	04/15/21 11:57	1
13C8 PFOS	82		49 - 126	04/13/21 16:16	04/15/21 11:57	1
13C8 FOSA	66		10 - 143	04/13/21 16:16	04/15/21 11:57	1
13C3 PFHxS	88		32 - 145	04/13/21 16:16	04/15/21 11:57	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
NEtFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
NMeFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	94		70 - 130	04/13/21 20:27	04/14/21 16:06	1
13C2 PFDA	90		70 - 130	04/13/21 20:27	04/14/21 16:06	1
13C2 PFHxA	98		70 - 130	04/13/21 20:27	04/14/21 16:06	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-1_25

Lab Sample ID: 410-35627-4

Date Collected: 04/12/21 10:03

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 12:07	1
8:2 Fluorotelomer sulfonic acid	2.7	U	2.7	ng/L		04/13/21 16:16	04/15/21 12:07	1
Perfluorobutanoic acid	4.9		4.4	ng/L		04/13/21 16:16	04/15/21 12:07	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:07	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:07	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:07	1
Perfluoropentanoic acid	2.5		1.8	ng/L		04/13/21 16:16	04/15/21 12:07	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	123		29 - 189	04/13/21 16:16	04/15/21 12:07	1
M2-8:2 FTS	107		34 - 182	04/13/21 16:16	04/15/21 12:07	1
13C4 PFBA	75		41 - 132	04/13/21 16:16	04/15/21 12:07	1
13C5 PFPeA	77		33 - 155	04/13/21 16:16	04/15/21 12:07	1
13C8 PFOS	95		49 - 126	04/13/21 16:16	04/15/21 12:07	1
13C8 FOSA	62		10 - 143	04/13/21 16:16	04/15/21 12:07	1
13C3 PFHxS	93		32 - 145	04/13/21 16:16	04/15/21 12:07	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	3.3		1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorooctanoic acid	26		1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
NEtFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
NMeFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	97		70 - 130	04/13/21 20:27	04/14/21 16:18	1
13C2 PFDA	88		70 - 130	04/13/21 20:27	04/14/21 16:18	1
13C2 PFHxA	95		70 - 130	04/13/21 20:27	04/14/21 16:18	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-1_50

Lab Sample ID: 410-35627-5

Date Collected: 04/12/21 10:05

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 12:18	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 12:18	1
Perfluorobutanoic acid	5.3		4.4	ng/L		04/13/21 16:16	04/15/21 12:18	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:18	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:18	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:18	1
Perfluoropentanoic acid	2.0		1.8	ng/L		04/13/21 16:16	04/15/21 12:18	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	125		29 - 189	04/13/21 16:16	04/15/21 12:18	1
M2-8:2 FTS	109		34 - 182	04/13/21 16:16	04/15/21 12:18	1
13C4 PFBA	74		41 - 132	04/13/21 16:16	04/15/21 12:18	1
13C5 PFPeA	74		33 - 155	04/13/21 16:16	04/15/21 12:18	1
13C8 PFOS	90		49 - 126	04/13/21 16:16	04/15/21 12:18	1
13C8 FOSA	63		10 - 143	04/13/21 16:16	04/15/21 12:18	1
13C3 PFHxS	95		32 - 145	04/13/21 16:16	04/15/21 12:18	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorooctanoic acid	8.4		1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
NEtFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
NMeFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	97		70 - 130	04/13/21 20:27	04/14/21 16:29	1
13C2 PFDA	90		70 - 130	04/13/21 20:27	04/14/21 16:29	1
13C2 PFHxA	96		70 - 130	04/13/21 20:27	04/14/21 16:29	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-1_75

Lab Sample ID: 410-35627-6

Date Collected: 04/12/21 10:08

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 12:28	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 12:28	1
Perfluorobutanoic acid	5.9		4.4	ng/L		04/13/21 16:16	04/15/21 12:28	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:28	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:28	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:28	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:28	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	124		29 - 189	04/13/21 16:16	04/15/21 12:28	1
M2-8:2 FTS	110		34 - 182	04/13/21 16:16	04/15/21 12:28	1
13C4 PFBA	75		41 - 132	04/13/21 16:16	04/15/21 12:28	1
13C5 PFPeA	75		33 - 155	04/13/21 16:16	04/15/21 12:28	1
13C8 PFOS	92		49 - 126	04/13/21 16:16	04/15/21 12:28	1
13C8 FOSA	64		10 - 143	04/13/21 16:16	04/15/21 12:28	1
13C3 PFHxS	87		32 - 145	04/13/21 16:16	04/15/21 12:28	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorooctanoic acid	7.2		1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
NEtFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
NMeFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 16:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	99		70 - 130	04/13/21 20:27	04/14/21 16:41	1
13C2 PFDA	89		70 - 130	04/13/21 20:27	04/14/21 16:41	1
13C2 PFHxA	94		70 - 130	04/13/21 20:27	04/14/21 16:41	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-2_25

Lab Sample ID: 410-35627-7

Date Collected: 04/12/21 10:11

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.3	U	4.3	ng/L		04/13/21 16:16	04/15/21 12:39	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 12:39	1
Perfluorobutanoic acid	5.8		4.3	ng/L		04/13/21 16:16	04/15/21 12:39	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 12:39	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 12:39	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 12:39	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 12:39	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	109		29 - 189	04/13/21 16:16	04/15/21 12:39	1
M2-8:2 FTS	108		34 - 182	04/13/21 16:16	04/15/21 12:39	1
13C4 PFBA	64		41 - 132	04/13/21 16:16	04/15/21 12:39	1
13C5 PFPeA	65		33 - 155	04/13/21 16:16	04/15/21 12:39	1
13C8 PFOS	92		49 - 126	04/13/21 16:16	04/15/21 12:39	1
13C8 FOSA	66		10 - 143	04/13/21 16:16	04/15/21 12:39	1
13C3 PFHxS	89		32 - 145	04/13/21 16:16	04/15/21 12:39	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
NEtFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
NMeFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 16:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	101		70 - 130	04/13/21 20:27	04/14/21 16:52	1
13C2 PFDA	90		70 - 130	04/13/21 20:27	04/14/21 16:52	1
13C2 PFHxA	97		70 - 130	04/13/21 20:27	04/14/21 16:52	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-2_50

Lab Sample ID: 410-35627-8

Date Collected: 04/12/21 10:14

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 12:50	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 12:50	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 12:50	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:50	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:50	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:50	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 12:50	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	119		29 - 189	04/13/21 16:16	04/15/21 12:50	1
M2-8:2 FTS	102		34 - 182	04/13/21 16:16	04/15/21 12:50	1
13C4 PFBA	77		41 - 132	04/13/21 16:16	04/15/21 12:50	1
13C5 PFPeA	76		33 - 155	04/13/21 16:16	04/15/21 12:50	1
13C8 PFOS	95		49 - 126	04/13/21 16:16	04/15/21 12:50	1
13C8 FOSA	69		10 - 143	04/13/21 16:16	04/15/21 12:50	1
13C3 PFHxS	91		32 - 145	04/13/21 16:16	04/15/21 12:50	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
NEtFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
NMeFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	98		70 - 130	04/13/21 20:27	04/14/21 17:04	1
13C2 PFDA	93		70 - 130	04/13/21 20:27	04/14/21 17:04	1
13C2 PFHxA	98		70 - 130	04/13/21 20:27	04/14/21 17:04	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-2_75

Lab Sample ID: 410-35627-9

Date Collected: 04/12/21 10:17

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 13:00	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		04/13/21 16:16	04/15/21 13:00	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 13:00	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 13:00	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 13:00	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 13:00	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		04/13/21 16:16	04/15/21 13:00	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	122		29 - 189	04/13/21 16:16	04/15/21 13:00	1
M2-8:2 FTS	112		34 - 182	04/13/21 16:16	04/15/21 13:00	1
13C4 PFBA	66		41 - 132	04/13/21 16:16	04/15/21 13:00	1
13C5 PFPeA	65		33 - 155	04/13/21 16:16	04/15/21 13:00	1
13C8 PFOS	92		49 - 126	04/13/21 16:16	04/15/21 13:00	1
13C8 FOSA	66		10 - 143	04/13/21 16:16	04/15/21 13:00	1
13C3 PFHxS	92		32 - 145	04/13/21 16:16	04/15/21 13:00	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
NEtFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
NMeFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	99		70 - 130	04/13/21 20:27	04/14/21 17:16	1
13C2 PFDA	94		70 - 130	04/13/21 20:27	04/14/21 17:16	1
13C2 PFHxA	98		70 - 130	04/13/21 20:27	04/14/21 17:16	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: FTB01-210412

Lab Sample ID: 410-35627-10

Date Collected: 04/12/21 10:25

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 13:11	1
8:2 Fluorotelomer sulfonic acid	2.7	U	2.7	ng/L		04/13/21 16:16	04/15/21 13:11	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		04/13/21 16:16	04/15/21 13:11	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 13:11	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 13:11	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 13:11	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		04/13/21 16:16	04/15/21 13:11	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	106		29 - 189	04/13/21 16:16	04/15/21 13:11	1
M2-8:2 FTS	89		34 - 182	04/13/21 16:16	04/15/21 13:11	1
13C4 PFBA	80		41 - 132	04/13/21 16:16	04/15/21 13:11	1
13C5 PFPeA	79		33 - 155	04/13/21 16:16	04/15/21 13:11	1
13C8 PFOS	80		49 - 126	04/13/21 16:16	04/15/21 13:11	1
13C8 FOSA	75		10 - 143	04/13/21 16:16	04/15/21 13:11	1
13C3 PFHxS	81		32 - 145	04/13/21 16:16	04/15/21 13:11	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
NEtFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
NMeFOSAA	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		04/13/21 20:27	04/14/21 17:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	97		70 - 130	04/13/21 20:27	04/14/21 17:39	1
13C2 PFDA	91		70 - 130	04/13/21 20:27	04/14/21 17:39	1
13C2 PFHxA	98		70 - 130	04/13/21 20:27	04/14/21 17:39	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: LTB01-210412

Lab Sample ID: 410-35627-11

Date Collected: 04/12/21 00:00

Matrix: Water

Date Received: 04/13/21 09:53

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.7	U	4.7	ng/L		04/13/21 16:16	04/15/21 13:21	1
8:2 Fluorotelomer sulfonic acid	2.8	U	2.8	ng/L		04/13/21 16:16	04/15/21 13:21	1
Perfluorobutanoic acid	4.7	U	4.7	ng/L		04/13/21 16:16	04/15/21 13:21	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		04/13/21 16:16	04/15/21 13:21	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		04/13/21 16:16	04/15/21 13:21	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		04/13/21 16:16	04/15/21 13:21	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		04/13/21 16:16	04/15/21 13:21	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	125		29 - 189	04/13/21 16:16	04/15/21 13:21	1
M2-8:2 FTS	120		34 - 182	04/13/21 16:16	04/15/21 13:21	1
13C4 PFBA	96		41 - 132	04/13/21 16:16	04/15/21 13:21	1
13C5 PFPeA	91		33 - 155	04/13/21 16:16	04/15/21 13:21	1
13C8 PFOS	101		49 - 126	04/13/21 16:16	04/15/21 13:21	1
13C8 FOSA	92		10 - 143	04/13/21 16:16	04/15/21 13:21	1
13C3 PFHxS	94		32 - 145	04/13/21 16:16	04/15/21 13:21	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
NEtFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
NMeFOSAA	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/13/21 20:27	04/14/21 17:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	96		70 - 130	04/13/21 20:27	04/14/21 17:50	1
13C2 PFDA	92		70 - 130	04/13/21 20:27	04/14/21 17:50	1
13C2 PFHxA	96		70 - 130	04/13/21 20:27	04/14/21 17:50	1

Surrogate Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		d5NEFOS (70-130)	PFDA (70-130)	PFHxA (70-130)
410-35627-1	GAC Influent	92	101	107
410-35627-1	GAC Influent	96	89	93
410-35627-2	GAC Midfluent	86	82	86
410-35627-3	GAC Effluent	94	90	98
410-35627-4	PV-1_25	97	88	95
410-35627-5	PV-1_50	97	90	96
410-35627-6	PV-1_75	99	89	94
410-35627-7	PV-2_25	101	90	97
410-35627-8	PV-2_50	98	93	98
410-35627-9	PV-2_75	99	94	98
410-35627-10	FTB01-210412	97	91	98
410-35627-11	LTB01-210412	96	92	96
LCS 410-114144/2-A	Lab Control Sample	94	94	99
LCSD 410-114144/3-A	Lab Control Sample Dup	95	95	97
MB 410-114144/1-A	Method Blank	94	90	93

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
 PFDA = 13C2 PFDA
 PFHxA = 13C2 PFHxA

Isotope Dilution Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Isotope Dilution Recovery (Acceptance Limits)						
		M262FTS (29-189)	M282FTS (34-182)	PFBA (41-132)	PFPeA (33-155)	C8PFOS (49-126)	PFOSA (10-143)	C3PFHS (32-145)
410-35627-1	GAC Influent	105	123	83	94	94	56	96
410-35627-2	GAC Midfluent	115	114	71	73	84	69	94
410-35627-3	GAC Effluent	111	111	66	69	82	66	88
410-35627-4	PV-1_25	123	107	75	77	95	62	93
410-35627-5	PV-1_50	125	109	74	74	90	63	95
410-35627-6	PV-1_75	124	110	75	75	92	64	87
410-35627-7	PV-2_25	109	108	64	65	92	66	89
410-35627-8	PV-2_50	119	102	77	76	95	69	91
410-35627-9	PV-2_75	122	112	66	65	92	66	92
410-35627-10	FTB01-210412	106	89	80	79	80	75	81
410-35627-11	LTB01-210412	125	120	96	91	101	92	94
LCS 410-114059/2-A	Lab Control Sample	109	103	89	89	89	79	91
LCSD 410-114059/3-A	Lab Control Sample Dup	108	101	91	90	90	81	88
MB 410-114059/1-A	Method Blank	109	98	83	82	82	70	82

Surrogate Legend

- M262FTS = M2-6:2 FTS
- M282FTS = M2-8:2 FTS
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C8PFOS = 13C8 PFOS
- PFOSA = 13C8 FOSA
- C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-114059/1-A

Matrix: Water

Analysis Batch: 114539

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 114059

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
6:2 Fluorotelomer sulfonic acid	5.0	U	5.0	ng/L		04/13/21 16:16	04/15/21 09:18	1
8:2 Fluorotelomer sulfonic acid	3.0	U	3.0	ng/L		04/13/21 16:16	04/15/21 09:18	1
Perfluorobutanoic acid	5.0	U	5.0	ng/L		04/13/21 16:16	04/15/21 09:18	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		04/13/21 16:16	04/15/21 09:18	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		04/13/21 16:16	04/15/21 09:18	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		04/13/21 16:16	04/15/21 09:18	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		04/13/21 16:16	04/15/21 09:18	1

Isotope Dilution	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
M2-6:2 FTS	109		29 - 189	04/13/21 16:16	04/15/21 09:18	1
M2-8:2 FTS	98		34 - 182	04/13/21 16:16	04/15/21 09:18	1
13C4 PFBA	83		41 - 132	04/13/21 16:16	04/15/21 09:18	1
13C5 PFPeA	82		33 - 155	04/13/21 16:16	04/15/21 09:18	1
13C8 PFOS	82		49 - 126	04/13/21 16:16	04/15/21 09:18	1
13C8 FOSA	70		10 - 143	04/13/21 16:16	04/15/21 09:18	1
13C3 PFHxS	82		32 - 145	04/13/21 16:16	04/15/21 09:18	1

Lab Sample ID: LCS 410-114059/2-A

Matrix: Water

Analysis Batch: 114539

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 114059

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
6:2 Fluorotelomer sulfonic acid	24.3	27.5		ng/L		113	57 - 137
8:2 Fluorotelomer sulfonic acid	24.5	28.9		ng/L		118	56 - 140
Perfluorobutanoic acid	25.6	30.7		ng/L		120	62 - 156
Perfluorodecanesulfonic acid	24.7	30.2		ng/L		122	61 - 134
Perfluoroheptanesulfonic acid	24.4	28.7		ng/L		118	67 - 135
Perfluorooctanesulfonamide	25.6	30.8		ng/L		120	55 - 130
Perfluoropentanoic acid	25.6	29.2		ng/L		114	72 - 139

Isotope Dilution	LCS	LCS	Limits
	%Recovery	Qualifier	
M2-6:2 FTS	109		29 - 189
M2-8:2 FTS	103		34 - 182
13C4 PFBA	89		41 - 132
13C5 PFPeA	89		33 - 155
13C8 PFOS	89		49 - 126
13C8 FOSA	79		10 - 143
13C3 PFHxS	91		32 - 145

Lab Sample ID: LCSD 410-114059/3-A

Matrix: Water

Analysis Batch: 114539

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 114059

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec. Limits	RPD	Limit
		Result	Qualifier						
6:2 Fluorotelomer sulfonic acid	24.3	28.7		ng/L		118	57 - 137	4	30
8:2 Fluorotelomer sulfonic acid	24.5	28.5		ng/L		116	56 - 140	1	30
Perfluorobutanoic acid	25.6	30.3		ng/L		118	62 - 156	1	30
Perfluorodecanesulfonic acid	24.7	29.3		ng/L		119	61 - 134	3	30
Perfluoroheptanesulfonic acid	24.4	30.5		ng/L		125	67 - 135	6	30

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-114059/3-A
Matrix: Water
Analysis Batch: 114539

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 114059

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Perfluorooctanesulfonamide	25.6	30.1		ng/L		118	55 - 130	2	30
Perfluoropentanoic acid	25.6	28.8		ng/L		112	72 - 139	2	30

Isotope Dilution	%Recovery	LCSD Qualifier	Limits
M2-6:2 FTS	108		29 - 189
M2-8:2 FTS	101		34 - 182
13C4 PFBA	91		41 - 132
13C5 PFPeA	90		33 - 155
13C8 PFOS	90		49 - 126
13C8 FOSA	81		10 - 143
13C3 PFHxS	88		32 - 145

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 410-114144/1-A
Matrix: Water
Analysis Batch: 114531

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 114144

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
NEtFOSAA	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
NMeFOSAA	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		04/13/21 20:27	04/14/21 14:45	1

Surrogate	%Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	94		70 - 130	04/13/21 20:27	04/14/21 14:45	1
13C2 PFDA	90		70 - 130	04/13/21 20:27	04/14/21 14:45	1
13C2 PFHxA	93		70 - 130	04/13/21 20:27	04/14/21 14:45	1

Lab Sample ID: LCS 410-114144/2-A
Matrix: Water
Analysis Batch: 114531

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 114144

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Perfluorohexanoic acid	20.5	20.0		ng/L		98	70 - 130
Perfluoroheptanoic acid	20.5	20.7		ng/L		101	70 - 130
Perfluorooctanoic acid	20.5	20.3		ng/L		99	70 - 130
Perfluorononanoic acid	20.5	19.3		ng/L		94	70 - 130
Perfluorodecanoic acid	20.5	18.9		ng/L		92	70 - 130

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: LCS 410-114144/2-A

Matrix: Water

Analysis Batch: 114531

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 114144

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	
							Limits	
Perfluorotridecanoic acid	20.5	19.2		ng/L		94	70 - 130	
Perfluorotetradecanoic acid	20.5	19.3		ng/L		94	70 - 130	
Perfluorobutanesulfonic acid	18.1	17.6		ng/L		97	70 - 130	
Perfluorohexanesulfonic acid	18.7	18.4		ng/L		99	70 - 130	
Perfluorooctanesulfonic acid	19.0	18.5		ng/L		97	70 - 130	
NEtFOSAA	20.5	19.3		ng/L		94	70 - 130	
NMeFOSAA	20.5	19.0		ng/L		93	70 - 130	
Perfluoroundecanoic acid	20.5	19.5		ng/L		95	70 - 130	
Perfluorododecanoic acid	20.5	18.9		ng/L		93	70 - 130	

Surrogate	LCS		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	94		70 - 130
13C2 PFDA	94		70 - 130
13C2 PFHxA	99		70 - 130

Lab Sample ID: LCSD 410-114144/3-A

Matrix: Water

Analysis Batch: 114531

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 114144

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	
							Limits		RPD	Limit
Perfluorohexanoic acid	20.5	19.9		ng/L		97	70 - 130		1	30
Perfluoroheptanoic acid	20.5	20.8		ng/L		101	70 - 130		0	30
Perfluorooctanoic acid	20.5	20.4		ng/L		100	70 - 130		1	30
Perfluorononanoic acid	20.5	19.3		ng/L		94	70 - 130		0	30
Perfluorodecanoic acid	20.5	19.1		ng/L		93	70 - 130		1	30
Perfluorotridecanoic acid	20.5	18.7		ng/L		91	70 - 130		2	30
Perfluorotetradecanoic acid	20.5	19.1		ng/L		93	70 - 130		1	30
Perfluorobutanesulfonic acid	18.1	18.1		ng/L		100	70 - 130		3	30
Perfluorohexanesulfonic acid	18.7	18.8		ng/L		100	70 - 130		2	30
Perfluorooctanesulfonic acid	19.0	18.5		ng/L		97	70 - 130		0	30
NEtFOSAA	20.5	19.1		ng/L		93	70 - 130		1	30
NMeFOSAA	20.5	19.3		ng/L		94	70 - 130		2	30
Perfluoroundecanoic acid	20.5	19.4		ng/L		95	70 - 130		1	30
Perfluorododecanoic acid	20.5	19.3		ng/L		94	70 - 130		2	30

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	95		70 - 130
13C2 PFDA	95		70 - 130
13C2 PFHxA	97		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

LCMS

Prep Batch: 114059

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-35627-1	GAC Influent	Total/NA	Water	537 (Mod)	
410-35627-2	GAC Midfluent	Total/NA	Water	537 (Mod)	
410-35627-3	GAC Effluent	Total/NA	Water	537 (Mod)	
410-35627-4	PV-1_25	Total/NA	Water	537 (Mod)	
410-35627-5	PV-1_50	Total/NA	Water	537 (Mod)	
410-35627-6	PV-1_75	Total/NA	Water	537 (Mod)	
410-35627-7	PV-2_25	Total/NA	Water	537 (Mod)	
410-35627-8	PV-2_50	Total/NA	Water	537 (Mod)	
410-35627-9	PV-2_75	Total/NA	Water	537 (Mod)	
410-35627-10	FTB01-210412	Total/NA	Water	537 (Mod)	
410-35627-11	LTB01-210412	Total/NA	Water	537 (Mod)	
MB 410-114059/1-A	Method Blank	Total/NA	Water	537 (Mod)	
LCS 410-114059/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	
LCSD 410-114059/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	

Prep Batch: 114144

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-35627-1	GAC Influent	Total/NA	Water	537 DW	
410-35627-2	GAC Midfluent	Total/NA	Water	537 DW	
410-35627-3	GAC Effluent	Total/NA	Water	537 DW	
410-35627-4	PV-1_25	Total/NA	Water	537 DW	
410-35627-5	PV-1_50	Total/NA	Water	537 DW	
410-35627-6	PV-1_75	Total/NA	Water	537 DW	
410-35627-7	PV-2_25	Total/NA	Water	537 DW	
410-35627-8	PV-2_50	Total/NA	Water	537 DW	
410-35627-9	PV-2_75	Total/NA	Water	537 DW	
410-35627-10	FTB01-210412	Total/NA	Water	537 DW	
410-35627-11	LTB01-210412	Total/NA	Water	537 DW	
MB 410-114144/1-A	Method Blank	Total/NA	Water	537 DW	
LCS 410-114144/2-A	Lab Control Sample	Total/NA	Water	537 DW	
LCSD 410-114144/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	

Analysis Batch: 114531

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-35627-1	GAC Influent	Total/NA	Water	537 DW	114144
410-35627-1	GAC Influent	Total/NA	Water	537 DW	114144
410-35627-2	GAC Midfluent	Total/NA	Water	537 DW	114144
410-35627-3	GAC Effluent	Total/NA	Water	537 DW	114144
410-35627-4	PV-1_25	Total/NA	Water	537 DW	114144
410-35627-5	PV-1_50	Total/NA	Water	537 DW	114144
410-35627-6	PV-1_75	Total/NA	Water	537 DW	114144
410-35627-7	PV-2_25	Total/NA	Water	537 DW	114144
410-35627-8	PV-2_50	Total/NA	Water	537 DW	114144
410-35627-9	PV-2_75	Total/NA	Water	537 DW	114144
410-35627-10	FTB01-210412	Total/NA	Water	537 DW	114144
410-35627-11	LTB01-210412	Total/NA	Water	537 DW	114144
MB 410-114144/1-A	Method Blank	Total/NA	Water	537 DW	114144
LCS 410-114144/2-A	Lab Control Sample	Total/NA	Water	537 DW	114144
LCSD 410-114144/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	114144

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

LCMS

Analysis Batch: 114539

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-35627-1	GAC Influent	Total/NA	Water	537 (Mod)	114059
410-35627-2	GAC Midfluent	Total/NA	Water	537 (Mod)	114059
410-35627-3	GAC Effluent	Total/NA	Water	537 (Mod)	114059
410-35627-4	PV-1_25	Total/NA	Water	537 (Mod)	114059
410-35627-5	PV-1_50	Total/NA	Water	537 (Mod)	114059
410-35627-6	PV-1_75	Total/NA	Water	537 (Mod)	114059
410-35627-7	PV-2_25	Total/NA	Water	537 (Mod)	114059
410-35627-8	PV-2_50	Total/NA	Water	537 (Mod)	114059
410-35627-9	PV-2_75	Total/NA	Water	537 (Mod)	114059
410-35627-10	FTB01-210412	Total/NA	Water	537 (Mod)	114059
410-35627-11	LTB01-210412	Total/NA	Water	537 (Mod)	114059
MB 410-114059/1-A	Method Blank	Total/NA	Water	537 (Mod)	114059
LCS 410-114059/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	114059
LCSD 410-114059/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	114059

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: GAC Influent

Lab Sample ID: 410-35627-1

Date Collected: 04/12/21 09:50

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 11:25	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 15:31	PY4D	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		10	114531	04/14/21 15:43	PY4D	ELLE

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-35627-2

Date Collected: 04/12/21 09:55

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 11:46	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 15:54	PY4D	ELLE

Client Sample ID: GAC Effluent

Lab Sample ID: 410-35627-3

Date Collected: 04/12/21 10:00

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 11:57	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 16:06	PY4D	ELLE

Client Sample ID: PV-1_25

Lab Sample ID: 410-35627-4

Date Collected: 04/12/21 10:03

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 12:07	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 16:18	PY4D	ELLE

Client Sample ID: PV-1_50

Lab Sample ID: 410-35627-5

Date Collected: 04/12/21 10:05

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 12:18	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 16:29	PY4D	ELLE

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: PV-1_75

Lab Sample ID: 410-35627-6

Date Collected: 04/12/21 10:08

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 12:28	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 16:41	PY4D	ELLE

Client Sample ID: PV-2_25

Lab Sample ID: 410-35627-7

Date Collected: 04/12/21 10:11

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 12:39	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 16:52	PY4D	ELLE

Client Sample ID: PV-2_50

Lab Sample ID: 410-35627-8

Date Collected: 04/12/21 10:14

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 12:50	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 17:04	PY4D	ELLE

Client Sample ID: PV-2_75

Lab Sample ID: 410-35627-9

Date Collected: 04/12/21 10:17

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 13:00	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 17:16	PY4D	ELLE

Client Sample ID: FTB01-210412

Lab Sample ID: 410-35627-10

Date Collected: 04/12/21 10:25

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 13:11	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 17:39	PY4D	ELLE

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Client Sample ID: LTB01-210412

Lab Sample ID: 410-35627-11

Date Collected: 04/12/21 00:00

Matrix: Water

Date Received: 04/13/21 09:53

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			114059	04/13/21 16:16	D5VP	ELLE
Total/NA	Analysis	537 (Mod)		1	114539	04/15/21 13:21	DIJ6	ELLE
Total/NA	Prep	537 DW			114144	04/13/21 20:27	QLP7	ELLE
Total/NA	Analysis	537 DW		1	114531	04/14/21 17:50	PY4D	ELLE

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Accreditation/Certification Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	537 (Mod)	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	537 (Mod)	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluorobutanoic acid
537 (Mod)	537 (Mod)	Water	Perfluorodecanesulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluoroheptanesulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluorooctanesulfonamide
537 (Mod)	537 (Mod)	Water	Perfluoropentanoic acid
537 DW	537 DW	Water	NEtFOSAA
537 DW	537 DW	Water	NMeFOSAA
537 DW	537 DW	Water	Perfluorobutanesulfonic acid
537 DW	537 DW	Water	Perfluorodecanoic acid
537 DW	537 DW	Water	Perfluorododecanoic acid
537 DW	537 DW	Water	Perfluoroheptanoic acid
537 DW	537 DW	Water	Perfluorohexanesulfonic acid
537 DW	537 DW	Water	Perfluorohexanoic acid
537 DW	537 DW	Water	Perfluorononanoic acid
537 DW	537 DW	Water	Perfluorooctanesulfonic acid
537 DW	537 DW	Water	Perfluorooctanoic acid
537 DW	537 DW	Water	Perfluorotetradecanoic acid
537 DW	537 DW	Water	Perfluorotridecanoic acid
537 DW	537 DW	Water	Perfluoroundecanoic acid

Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
537 DW	Perfluorinated Alkyl Acids (LC/MS)	EPA	ELLE
537 (Mod)	537 Version 1.1 modified	EPA	ELLE
537 DW	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-35627-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
410-35627-1	GAC Influent	Water	04/12/21 09:50	04/13/21 09:53	
410-35627-2	GAC Midfluent	Water	04/12/21 09:55	04/13/21 09:53	
410-35627-3	GAC Effluent	Water	04/12/21 10:00	04/13/21 09:53	
410-35627-4	PV-1_25	Water	04/12/21 10:03	04/13/21 09:53	
410-35627-5	PV-1_50	Water	04/12/21 10:05	04/13/21 09:53	
410-35627-6	PV-1_75	Water	04/12/21 10:08	04/13/21 09:53	
410-35627-7	PV-2_25	Water	04/12/21 10:11	04/13/21 09:53	
410-35627-8	PV-2_50	Water	04/12/21 10:14	04/13/21 09:53	
410-35627-9	PV-2_75	Water	04/12/21 10:17	04/13/21 09:53	
410-35627-10	FTB01-210412	Water	04/12/21 10:25	04/13/21 09:53	
410-35627-11	LTB01-210412	Water	04/12/21 00:00	04/13/21 09:53	





410-35627 Chain of Custody

vices Analysis Request/Chain of Custody

1 of 2

Sample #:

COC#: 203674

Client: C.T. Male Associates		Project Name/ #: Hoosick Falls WTP		Site ID:		Matrix		Analyses Requested										For Lab Use Only	
Project Manager: Kirk Moline		P.O. #: 14.4756		Quote #: 219169		Sediment <input type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/>		Preservation and Filtration Codes										Project# 41000511	
Sampler: C Omsby		For Compliance: Yes <input type="checkbox"/> No <input type="checkbox"/>		Soil <input type="checkbox"/>		Potable <input checked="" type="checkbox"/> NPDES <input type="checkbox"/>		Z										SCR#: 264402	
Phone #: 518-786-7400		Collection		Grab		Water <input type="checkbox"/>		7 PFAS (EPA 537 mod.)										Preservation Codes	
State where sample(s) were collected: NY		Date		Time		Other: Reagent water		14 PFAS (EPA 537 ver. 1.1)										H = HCl T = Thiosulfate	
Sample Identification		Composite		Total # of Containers		Total # of Containers												N = HNO ₃ B = NaOH	
GAC Influent		4/12/21		0950		X		X X										S = H ₂ SO ₄ P = H ₃ PO ₄	
GAC Midfluent		↓		0955		X		X X										O = Other Z = Trizma	
GAC Effluent		↓		1000		X		X X										Remarks	
PV-1_25		↓		1003		X		X X										PFAS QC both columns	
PV-1_50		↓		1005		X		X X										RUSH	
PV-1_75		↓		1008		X		X X											
PV-2_25		↓		1011		X		X X											
PV-2_50		↓		1014		X		X X											
PV-2_75		↓		1017		X		X X											
FTB01-210412		↓		1025		X		X X											
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> RUSH <input checked="" type="checkbox"/>				Relinquished by: Christina			Date: 4/12/21		Time: 1200		Received by:			Date:		Time:			
(RUSH TAT is subject to Eurofins Lancaster Laboratories approval and surcharges.)				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
Date results are needed:				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
E-mail address to send RUSH results: K.Mulhe@ctmale.com				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
Data Package Options (please check if required)				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
Type I (Validation/non-CLP) <input type="checkbox"/> MA MCP <input type="checkbox"/> TX TRRP - 13 <input type="checkbox"/>				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
Type III (Reduced non-CLP) <input type="checkbox"/> CT RCP <input type="checkbox"/>				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
Type IV (CLP SOW) <input type="checkbox"/> ASP Type A <input type="checkbox"/>				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
Type VI (Raw Data Only) <input type="checkbox"/> ASP Type B <input checked="" type="checkbox"/>				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
EDD Format: EQUIS				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			
If site-specific QC (MS/MSD/Dup) required, indicate QC samples and submit triplicate volume.				Airbill No.:			Relinquished by Commercial Carrier:		Temperature upon receipt: 0.5 °C		Date: 4/13/21			Time: 0953					
UPS _____ FedEx _____ Other _____				Relinquished by:			Date:		Time:		Received by:			Date:		Time:			

Environmental Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct# 37191

Group # _____

Sample # _____

Client: <u>C. T. Male Associates</u>				Matrix			Analyses Requested						For Lab Use Only						
Project Name: <u>Hoosick Falls WTP</u>			Site ID #:			<input type="checkbox"/> Tissue	<input type="checkbox"/> Ground	<input type="checkbox"/> Surface	Preservation and Filtration Codes						SF#: <u>303216</u>				
Project Manager: <u>Kirk Maline</u>			P.O.#:			<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES	<i>Regar water</i>	Total # of Containers	14 PFAS Drinking Water List	7 PFAS Compounds							SCR#: <u>263515</u>	
Sampler: <u>C. Ormsby</u>			PWSID #:			<input type="checkbox"/> Water	<input type="checkbox"/> Other:											Preservation Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ P = H ₃ PO ₄ F = Field Filtered O = Other	
Phone #:			Quote #: <u>219169</u>			<input type="checkbox"/> Sediment						Remarks							
State where samples were collected: <u>NY</u>			For Compliance: Yes <input type="checkbox"/> No <input type="checkbox"/>																
Sample Identification		Collection		Grab	Composite														
		Date	Time																
<u>L7801-210412</u>		<u>4/12/21</u>	<u>-</u>					<input checked="" type="checkbox"/>	<u>4</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input checked="" type="checkbox"/> (Rush TAT is subject to laboratory approval and surcharges.)						Relinquished by: <u>[Signature]</u>		Date	Time	Received by:		Date	Time						
Date results are needed:								<u>4/12/21</u>	<u>1200</u>										
Rush results requested by (please check): E-Mail <input type="checkbox"/> Phone <input type="checkbox"/>						Relinquished by:		Date	Time	Received by:		Date	Time						
E-mail Address: <u>k.mal@eurofins.com</u>																			
Phone:						Relinquished by:		Date	Time	Received by:		Date	Time						
Data Package Options (please check if required) Type I (Validation/non-CLP) <input type="checkbox"/> MA MCP <input type="checkbox"/> Type III (Reduced non-CLP) <input type="checkbox"/> CT RCP <input type="checkbox"/> Type VI (Raw Data Only) <input type="checkbox"/> TX TRRP-13 <input type="checkbox"/> NJ DKQP <input type="checkbox"/> NYSDEC Category <input type="checkbox"/> A or <input checked="" type="checkbox"/> B						Relinquished by:		Date	Time	Received by:		Date	Time						
EDD Required? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, format: <u>EQM</u>						Relinquished by Commercial Carrier:				Received by: <u>[Signature]</u>		<u>4/13/21</u>	<u>0953</u>						
UPS _____ FedEx _____ Other _____										Temperature upon receipt <u>0.5</u> °C									

JR



Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-35627-1

Login Number: 35627

List Source: Eurofins Lancaster Laboratories Env

List Number: 1

Creator: Rivera-Santa, Julissa

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified.	N/A	
Residual Chlorine Checked.	N/A	
Sample custody seals are intact.	True	

