



ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Kirk Moline
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Generated 1/20/2023 12:04:39 PM

JOB DESCRIPTION

Hoosick Falls WTP
SDG NUMBER HOO

JOB NUMBER

410-111429-1

Job Notes

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
1/20/2023 12:04:39 PM

Authorized for release by
Paul Hobart, Project Manager
Paul.Hobart@et.eurofinsus.com
(617)312-8660

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.






Table of Contents

Cover Page	1
Table of Contents	4
Definitions/Glossary	5
Case Narrative	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	16
Isotope Dilution Summary	17
QC Sample Results	18
QC Association Summary	21
Lab Chronicle	23
Certification Summary	25
Method Summary	26
Sample Summary	27
Chain of Custody	28
Receipt Checklists	29

Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Qualifiers

LCMS

Qualifier	Qualifier Description
E	Result exceeded calibration range.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Job ID: 410-111429-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

**Job Narrative
410-111429-1**

Receipt

The samples were received on 1/6/2023 9:48 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.6°C

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: GAC Influent

Lab Sample ID: 410-111429-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluoropentanoic acid	2.6		1.9	ng/L	1		537 (Mod)	Total/NA
Perfluorohexanoic acid	9.0		1.9	ng/L	1		537 DW	Total/NA
Perfluoroheptanoic acid	10		1.9	ng/L	1		537 DW	Total/NA
Perfluorooctanesulfonic acid	3.6		1.9	ng/L	1		537 DW	Total/NA
Perfluorooctanoic acid - DL	350		19	ng/L	10		537 DW	Total/NA

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-111429-2

No Detections.

Client Sample ID: GAC Effluent

Lab Sample ID: 410-111429-3

No Detections.

Client Sample ID: PV-2_25

Lab Sample ID: 410-111429-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluoropentanoic acid	3.0		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluorohexanoic acid	5.9		1.9	ng/L	1		537 DW	Total/NA
Perfluoroheptanoic acid	3.3		1.9	ng/L	1		537 DW	Total/NA
Perfluorooctanoic acid	69		1.9	ng/L	1		537 DW	Total/NA

Client Sample ID: PV-2_50

Lab Sample ID: 410-111429-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	7.6		4.7	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: PV-2_75

Lab Sample ID: 410-111429-6

No Detections.

Client Sample ID: FTB01-230105

Lab Sample ID: 410-111429-7

No Detections.

Client Sample ID: LTB01-230105

Lab Sample ID: 410-111429-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: GAC Influent

Lab Sample ID: 410-111429-1

Date Collected: 01/05/23 10:00

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.9	U	4.9	ng/L		01/13/23 21:39	01/17/23 23:58	1
8:2 Fluorotelomer sulfonic acid	2.9	U	2.9	ng/L		01/13/23 21:39	01/17/23 23:58	1
Perfluorobutanoic acid	4.9	U	4.9	ng/L		01/13/23 21:39	01/17/23 23:58	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/17/23 23:58	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/17/23 23:58	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		01/13/23 21:39	01/17/23 23:58	1
Perfluoropentanoic acid	2.6		1.9	ng/L		01/13/23 21:39	01/17/23 23:58	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	102		17 - 200	01/13/23 21:39	01/17/23 23:58	1
M2-8:2 FTS	103		33 - 200	01/13/23 21:39	01/17/23 23:58	1
13C4 PFBA	119		42 - 165	01/13/23 21:39	01/17/23 23:58	1
13C5 PFPeA	134		38 - 187	01/13/23 21:39	01/17/23 23:58	1
13C8 PFOS	117		51 - 159	01/13/23 21:39	01/17/23 23:58	1
13C8 FOSA	93		10 - 168	01/13/23 21:39	01/17/23 23:58	1
13C3 PFHxS	126		28 - 188	01/13/23 21:39	01/17/23 23:58	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	9.0		1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluoroheptanoic acid	10		1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorononanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorodecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorooctanesulfonic acid	3.6		1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
NEtFOSAA	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
NMeFOSAA	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1
Perfluorododecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	94		70 - 130	01/10/23 13:15	01/19/23 20:00	1
13C2 PFDA	113		70 - 130	01/10/23 13:15	01/19/23 20:00	1
13C2 PFHxA	108		70 - 130	01/10/23 13:15	01/19/23 20:00	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS) - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	350		19	ng/L		01/10/23 13:15	01/20/23 12:00	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	84		70 - 130	01/10/23 13:15	01/20/23 12:00	10
13C2 PFDA	86		70 - 130	01/10/23 13:15	01/20/23 12:00	10
13C2 PFHxA	89		70 - 130	01/10/23 13:15	01/20/23 12:00	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-111429-2

Date Collected: 01/05/23 10:02

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		01/13/23 21:39	01/18/23 00:09	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		01/13/23 21:39	01/18/23 00:09	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		01/13/23 21:39	01/18/23 00:09	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:09	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:09	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:09	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:09	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	121		17 - 200	01/13/23 21:39	01/18/23 00:09	1
M2-8:2 FTS	126		33 - 200	01/13/23 21:39	01/18/23 00:09	1
13C4 PFBA	120		42 - 165	01/13/23 21:39	01/18/23 00:09	1
13C5 PFPeA	123		38 - 187	01/13/23 21:39	01/18/23 00:09	1
13C8 PFOS	117		51 - 159	01/13/23 21:39	01/18/23 00:09	1
13C8 FOSA	100		10 - 168	01/13/23 21:39	01/18/23 00:09	1
13C3 PFHxS	129		28 - 188	01/13/23 21:39	01/18/23 00:09	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
NEtFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
NMeFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	100		70 - 130	01/10/23 13:15	01/19/23 20:12	1
13C2 PFDA	99		70 - 130	01/10/23 13:15	01/19/23 20:12	1
13C2 PFHxA	101		70 - 130	01/10/23 13:15	01/19/23 20:12	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: GAC Effluent

Lab Sample ID: 410-111429-3

Date Collected: 01/05/23 10:05

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.3	U	4.3	ng/L		01/13/23 21:39	01/18/23 00:20	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		01/13/23 21:39	01/18/23 00:20	1
Perfluorobutanoic acid	4.3	U	4.3	ng/L		01/13/23 21:39	01/18/23 00:20	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 00:20	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 00:20	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 00:20	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 00:20	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	113		17 - 200	01/13/23 21:39	01/18/23 00:20	1
M2-8:2 FTS	107		33 - 200	01/13/23 21:39	01/18/23 00:20	1
13C4 PFBA	124		42 - 165	01/13/23 21:39	01/18/23 00:20	1
13C5 PFPeA	114		38 - 187	01/13/23 21:39	01/18/23 00:20	1
13C8 PFOS	127		51 - 159	01/13/23 21:39	01/18/23 00:20	1
13C8 FOSA	97		10 - 168	01/13/23 21:39	01/18/23 00:20	1
13C3 PFHxS	113		28 - 188	01/13/23 21:39	01/18/23 00:20	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
NEtFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
NMeFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	102		70 - 130	01/10/23 13:15	01/19/23 20:23	1
13C2 PFDA	96		70 - 130	01/10/23 13:15	01/19/23 20:23	1
13C2 PFHxA	100		70 - 130	01/10/23 13:15	01/19/23 20:23	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: PV-2_25

Lab Sample ID: 410-111429-4

Date Collected: 01/05/23 10:08

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		01/13/23 21:39	01/18/23 00:31	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		01/13/23 21:39	01/18/23 00:31	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		01/13/23 21:39	01/18/23 00:31	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:31	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:31	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		01/13/23 21:39	01/18/23 00:31	1
Perfluoropentanoic acid	3.0		1.8	ng/L		01/13/23 21:39	01/18/23 00:31	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	112		17 - 200	01/13/23 21:39	01/18/23 00:31	1
M2-8:2 FTS	114		33 - 200	01/13/23 21:39	01/18/23 00:31	1
13C4 PFBA	125		42 - 165	01/13/23 21:39	01/18/23 00:31	1
13C5 PFPeA	128		38 - 187	01/13/23 21:39	01/18/23 00:31	1
13C8 PFOS	127		51 - 159	01/13/23 21:39	01/18/23 00:31	1
13C8 FOSA	96		10 - 168	01/13/23 21:39	01/18/23 00:31	1
13C3 PFHxS	119		28 - 188	01/13/23 21:39	01/18/23 00:31	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	5.9		1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluoroheptanoic acid	3.3		1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorooctanoic acid	69		1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorononanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorodecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorooctanesulfonic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
NEtFOSAA	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
NMeFOSAA	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1
Perfluorododecanoic acid	1.9	U	1.9	ng/L		01/10/23 13:15	01/19/23 20:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	92		70 - 130	01/10/23 13:15	01/19/23 20:35	1
13C2 PFDA	95		70 - 130	01/10/23 13:15	01/19/23 20:35	1
13C2 PFHxA	101		70 - 130	01/10/23 13:15	01/19/23 20:35	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: PV-2_50

Lab Sample ID: 410-111429-5

Date Collected: 01/05/23 10:12

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.7	U	4.7	ng/L		01/13/23 21:39	01/18/23 00:42	1
8:2 Fluorotelomer sulfonic acid	2.8	U	2.8	ng/L		01/13/23 21:39	01/18/23 00:42	1
Perfluorobutanoic acid	7.6		4.7	ng/L		01/13/23 21:39	01/18/23 00:42	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:42	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:42	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:42	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:42	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	107		17 - 200	01/13/23 21:39	01/18/23 00:42	1
M2-8:2 FTS	107		33 - 200	01/13/23 21:39	01/18/23 00:42	1
13C4 PFBA	121		42 - 165	01/13/23 21:39	01/18/23 00:42	1
13C5 PFPeA	112		38 - 187	01/13/23 21:39	01/18/23 00:42	1
13C8 PFOS	118		51 - 159	01/13/23 21:39	01/18/23 00:42	1
13C8 FOSA	89		10 - 168	01/13/23 21:39	01/18/23 00:42	1
13C3 PFHxS	99		28 - 188	01/13/23 21:39	01/18/23 00:42	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
NEtFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
NMeFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 20:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	98		70 - 130	01/10/23 13:15	01/19/23 20:47	1
13C2 PFDA	100		70 - 130	01/10/23 13:15	01/19/23 20:47	1
13C2 PFHxA	99		70 - 130	01/10/23 13:15	01/19/23 20:47	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: PV-2_75

Lab Sample ID: 410-111429-6

Date Collected: 01/05/23 10:10

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.7	U	4.7	ng/L		01/13/23 21:39	01/18/23 00:53	1
8:2 Fluorotelomer sulfonic acid	2.8	U	2.8	ng/L		01/13/23 21:39	01/18/23 00:53	1
Perfluorobutanoic acid	4.7	U	4.7	ng/L		01/13/23 21:39	01/18/23 00:53	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:53	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:53	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:53	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		01/13/23 21:39	01/18/23 00:53	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	134		17 - 200	01/13/23 21:39	01/18/23 00:53	1
M2-8:2 FTS	111		33 - 200	01/13/23 21:39	01/18/23 00:53	1
13C4 PFBA	125		42 - 165	01/13/23 21:39	01/18/23 00:53	1
13C5 PFPeA	117		38 - 187	01/13/23 21:39	01/18/23 00:53	1
13C8 PFOS	114		51 - 159	01/13/23 21:39	01/18/23 00:53	1
13C8 FOSA	101		10 - 168	01/13/23 21:39	01/18/23 00:53	1
13C3 PFHxS	118		28 - 188	01/13/23 21:39	01/18/23 00:53	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
NEtFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
NMeFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	102		70 - 130	01/10/23 13:15	01/19/23 21:10	1
13C2 PFDA	98		70 - 130	01/10/23 13:15	01/19/23 21:10	1
13C2 PFHxA	93		70 - 130	01/10/23 13:15	01/19/23 21:10	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: FTB01-230105

Lab Sample ID: 410-111429-7

Date Collected: 01/05/23 11:05

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.2	U	4.2	ng/L		01/13/23 21:39	01/18/23 01:04	1
8:2 Fluorotelomer sulfonic acid	2.5	U	2.5	ng/L		01/13/23 21:39	01/18/23 01:04	1
Perfluorobutanoic acid	4.2	U	4.2	ng/L		01/13/23 21:39	01/18/23 01:04	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:04	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:04	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:04	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:04	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	103		17 - 200	01/13/23 21:39	01/18/23 01:04	1
M2-8:2 FTS	110		33 - 200	01/13/23 21:39	01/18/23 01:04	1
13C4 PFBA	122		42 - 165	01/13/23 21:39	01/18/23 01:04	1
13C5 PFPeA	121		38 - 187	01/13/23 21:39	01/18/23 01:04	1
13C8 PFOS	131		51 - 159	01/13/23 21:39	01/18/23 01:04	1
13C8 FOSA	106		10 - 168	01/13/23 21:39	01/18/23 01:04	1
13C3 PFHxS	102		28 - 188	01/13/23 21:39	01/18/23 01:04	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
NEtFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
NMeFOSAA	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		01/10/23 13:15	01/19/23 21:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	91		70 - 130	01/10/23 13:15	01/19/23 21:21	1
13C2 PFDA	98		70 - 130	01/10/23 13:15	01/19/23 21:21	1
13C2 PFHxA	100		70 - 130	01/10/23 13:15	01/19/23 21:21	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: LTB01-230105

Lab Sample ID: 410-111429-8

Date Collected: 01/05/23 00:00

Matrix: Water

Date Received: 01/06/23 09:48

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		01/13/23 21:39	01/18/23 01:15	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		01/13/23 21:39	01/18/23 01:15	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		01/13/23 21:39	01/18/23 01:15	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:15	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:15	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:15	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		01/13/23 21:39	01/18/23 01:15	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	95		17 - 200	01/13/23 21:39	01/18/23 01:15	1
M2-8:2 FTS	117		33 - 200	01/13/23 21:39	01/18/23 01:15	1
13C4 PFBA	124		42 - 165	01/13/23 21:39	01/18/23 01:15	1
13C5 PFPeA	116		38 - 187	01/13/23 21:39	01/18/23 01:15	1
13C8 PFOS	113		51 - 159	01/13/23 21:39	01/18/23 01:15	1
13C8 FOSA	102		10 - 168	01/13/23 21:39	01/18/23 01:15	1
13C3 PFHxS	92		28 - 188	01/13/23 21:39	01/18/23 01:15	1

Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
NEtFOSAA	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
NMeFOSAA	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		01/10/23 13:15	01/19/23 21:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	105		70 - 130	01/10/23 13:15	01/19/23 21:33	1
13C2 PFDA	99		70 - 130	01/10/23 13:15	01/19/23 21:33	1
13C2 PFHxA	89		70 - 130	01/10/23 13:15	01/19/23 21:33	1

Surrogate Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		d5NEFOS (70-130)	PFDA (70-130)	PFHxA (70-130)
410-111429-1	GAC Influent	94	113	108
410-111429-1 - DL	GAC Influent	84	86	89
410-111429-2	GAC Midfluent	100	99	101
410-111429-3	GAC Effluent	102	96	100
410-111429-4	PV-2_25	92	95	101
410-111429-5	PV-2_50	98	100	99
410-111429-6	PV-2_75	102	98	93
410-111429-7	FTB01-230105	91	98	100
410-111429-8	LTB01-230105	105	99	89
LCS 410-334111/2-A	Lab Control Sample	101	105	96
LCSD 410-334111/3-A	Lab Control Sample Dup	103	97	87
MB 410-334111/1-A	Method Blank	102	103	94

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
PFDA = 13C2 PFDA
PFHxA = 13C2 PFHxA



Isotope Dilution Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
 SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Isotope Dilution Recovery (Acceptance Limits)						
		M262FTS (17-200)	M282FTS (33-200)	PFBA (42-165)	PFPeA (38-187)	C8PFOS (51-159)	PFOSA (10-168)	C3PFHS (28-188)
410-111429-1	GAC Influent	102	103	119	134	117	93	126
410-111429-2	GAC Midfluent	121	126	120	123	117	100	129
410-111429-3	GAC Effluent	113	107	124	114	127	97	113
410-111429-4	PV-2_25	112	114	125	128	127	96	119
410-111429-5	PV-2_50	107	107	121	112	118	89	99
410-111429-6	PV-2_75	134	111	125	117	114	101	118
410-111429-7	FTB01-230105	103	110	122	121	131	106	102
410-111429-8	LTB01-230105	95	117	124	116	113	102	92
LCS 410-335474/2-A	Lab Control Sample	91	102	120	117	108	96	98
LCSD 410-335474/3-A	Lab Control Sample Dup	103	113	132	137	122	108	117
MB 410-335474/1-A	Method Blank	112	110	124	120	115	101	109

Surrogate Legend

- M262FTS = M2-6:2 FTS
- M282FTS = M2-8:2 FTS
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C8PFOS = 13C8 PFOS
- PFOSA = 13C8 FOSA
- C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-335474/1-A
Matrix: Water
Analysis Batch: 336240

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 335474

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
6:2 Fluorotelomer sulfonic acid	5.0	U	5.0	ng/L		01/13/23 21:39	01/17/23 23:24	1
8:2 Fluorotelomer sulfonic acid	3.0	U	3.0	ng/L		01/13/23 21:39	01/17/23 23:24	1
Perfluorobutanoic acid	5.0	U	5.0	ng/L		01/13/23 21:39	01/17/23 23:24	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		01/13/23 21:39	01/17/23 23:24	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		01/13/23 21:39	01/17/23 23:24	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		01/13/23 21:39	01/17/23 23:24	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		01/13/23 21:39	01/17/23 23:24	1

Isotope Dilution	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
M2-6:2 FTS	112		17 - 200	01/13/23 21:39	01/17/23 23:24	1
M2-8:2 FTS	110		33 - 200	01/13/23 21:39	01/17/23 23:24	1
13C4 PFBA	124		42 - 165	01/13/23 21:39	01/17/23 23:24	1
13C5 PFPeA	120		38 - 187	01/13/23 21:39	01/17/23 23:24	1
13C8 PFOS	115		51 - 159	01/13/23 21:39	01/17/23 23:24	1
13C8 FOSA	101		10 - 168	01/13/23 21:39	01/17/23 23:24	1
13C3 PFHxS	109		28 - 188	01/13/23 21:39	01/17/23 23:24	1

Lab Sample ID: LCS 410-335474/2-A
Matrix: Water
Analysis Batch: 336240

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 335474

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
6:2 Fluorotelomer sulfonic acid	24.3	26.0		ng/L		107	28 - 173
8:2 Fluorotelomer sulfonic acid	24.5	24.3		ng/L		99	55 - 138
Perfluorobutanoic acid	25.6	24.2		ng/L		95	59 - 136
Perfluorodecanesulfonic acid	24.7	25.8		ng/L		104	55 - 137
Perfluoroheptanesulfonic acid	24.4	25.2		ng/L		103	56 - 140
Perfluorooctanesulfonamide	25.6	25.5		ng/L		100	43 - 167
Perfluoropentanoic acid	25.6	25.8		ng/L		101	57 - 141

Isotope Dilution	LCS	LCS	Limits
	%Recovery	Qualifier	
M2-6:2 FTS	91		17 - 200
M2-8:2 FTS	102		33 - 200
13C4 PFBA	120		42 - 165
13C5 PFPeA	117		38 - 187
13C8 PFOS	108		51 - 159
13C8 FOSA	96		10 - 168
13C3 PFHxS	98		28 - 188

Lab Sample ID: LCSD 410-335474/3-A
Matrix: Water
Analysis Batch: 336240

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 335474

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	Limit
		Result	Qualifier						
6:2 Fluorotelomer sulfonic acid	24.3	26.0		ng/L		107	28 - 173	0	30
8:2 Fluorotelomer sulfonic acid	24.5	24.1		ng/L		98	55 - 138	1	30
Perfluorobutanoic acid	25.6	24.6		ng/L		96	59 - 136	2	30
Perfluorodecanesulfonic acid	24.7	24.4		ng/L		99	55 - 137	5	30
Perfluoroheptanesulfonic acid	24.4	25.3		ng/L		104	56 - 140	1	30

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-335474/3-A
Matrix: Water
Analysis Batch: 336240

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 335474

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorooctanesulfonamide	25.6	26.2		ng/L		102	43 - 167	3	30
Perfluoropentanoic acid	25.6	25.1		ng/L		98	57 - 141	2	30

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	LCSD Limits
M2-6:2 FTS	103		17 - 200
M2-8:2 FTS	113		33 - 200
13C4 PFBA	132		42 - 165
13C5 PFPeA	137		38 - 187
13C8 PFOS	122		51 - 159
13C8 FOSA	108		10 - 168
13C3 PFHxS	117		28 - 188

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 410-334111/1-A
Matrix: Water
Analysis Batch: 337116

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 334111

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
NEtFOSAA	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
NMeFOSAA	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		01/10/23 13:15	01/19/23 19:13	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	102		70 - 130	01/10/23 13:15	01/19/23 19:13	1
13C2 PFDA	103		70 - 130	01/10/23 13:15	01/19/23 19:13	1
13C2 PFHxA	94		70 - 130	01/10/23 13:15	01/19/23 19:13	1

Lab Sample ID: LCS 410-334111/2-A
Matrix: Water
Analysis Batch: 337116

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 334111

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluorohexanoic acid	80.0	76.7		ng/L		96	70 - 130
Perfluoroheptanoic acid	80.0	72.5		ng/L		91	70 - 130
Perfluorooctanoic acid	80.0	81.0	E	ng/L		101	70 - 130
Perfluorononanoic acid	80.0	77.1		ng/L		96	70 - 130
Perfluorodecanoic acid	80.0	75.7		ng/L		95	70 - 130

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: LCS 410-334111/2-A

Matrix: Water

Analysis Batch: 337116

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 334111

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	
							Limits	
Perfluorotridecanoic acid	80.0	73.6		ng/L		92	70 - 130	
Perfluorotetradecanoic acid	80.0	65.6		ng/L		82	70 - 130	
Perfluorobutanesulfonic acid	70.8	59.7		ng/L		84	70 - 130	
Perfluorohexanesulfonic acid	73.0	68.9		ng/L		94	70 - 130	
Perfluorooctanesulfonic acid	74.0	72.2		ng/L		97	70 - 130	
NEtFOSAA	80.0	83.6	E	ng/L		104	70 - 130	
NMeFOSAA	80.0	82.6	E	ng/L		103	70 - 130	
Perfluoroundecanoic acid	80.0	75.5		ng/L		94	70 - 130	
Perfluorododecanoic acid	80.0	76.2		ng/L		95	70 - 130	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	101		70 - 130
13C2 PFDA	105		70 - 130
13C2 PFHxA	96		70 - 130

Lab Sample ID: LCSD 410-334111/3-A

Matrix: Water

Analysis Batch: 337116

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 334111

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	
							Limits		RPD	Limit
Perfluorohexanoic acid	80.0	69.2		ng/L		87	70 - 130		10	30
Perfluoroheptanoic acid	80.0	78.1		ng/L		98	70 - 130		7	30
Perfluorooctanoic acid	80.0	79.0		ng/L		99	70 - 130		3	30
Perfluorononanoic acid	80.0	76.2		ng/L		95	70 - 130		1	30
Perfluorodecanoic acid	80.0	78.0		ng/L		98	70 - 130		3	30
Perfluorotridecanoic acid	80.0	71.1		ng/L		89	70 - 130		3	30
Perfluorotetradecanoic acid	80.0	61.4		ng/L		77	70 - 130		7	30
Perfluorobutanesulfonic acid	70.8	55.9		ng/L		79	70 - 130		7	30
Perfluorohexanesulfonic acid	73.0	73.3	E	ng/L		100	70 - 130		6	30
Perfluorooctanesulfonic acid	74.0	74.9	E	ng/L		101	70 - 130		4	30
NEtFOSAA	80.0	80.2	E	ng/L		100	70 - 130		4	30
NMeFOSAA	80.0	81.6	E	ng/L		102	70 - 130		1	30
Perfluoroundecanoic acid	80.0	78.1		ng/L		98	70 - 130		3	30
Perfluorododecanoic acid	80.0	71.3		ng/L		89	70 - 130		7	30

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	103		70 - 130
13C2 PFDA	97		70 - 130
13C2 PFHxA	87		70 - 130

QC Association Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
 SDG: HOO

LCMS

Prep Batch: 334111

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-111429-1 - DL	GAC Influent	Total/NA	Water	537 DW	
410-111429-1	GAC Influent	Total/NA	Water	537 DW	
410-111429-2	GAC Midfluent	Total/NA	Water	537 DW	
410-111429-3	GAC Effluent	Total/NA	Water	537 DW	
410-111429-4	PV-2_25	Total/NA	Water	537 DW	
410-111429-5	PV-2_50	Total/NA	Water	537 DW	
410-111429-6	PV-2_75	Total/NA	Water	537 DW	
410-111429-7	FTB01-230105	Total/NA	Water	537 DW	
410-111429-8	LTB01-230105	Total/NA	Water	537 DW	
MB 410-334111/1-A	Method Blank	Total/NA	Water	537 DW	
LCS 410-334111/2-A	Lab Control Sample	Total/NA	Water	537 DW	
LCSD 410-334111/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	

Prep Batch: 335474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-111429-1	GAC Influent	Total/NA	Water	537 (Mod)	
410-111429-2	GAC Midfluent	Total/NA	Water	537 (Mod)	
410-111429-3	GAC Effluent	Total/NA	Water	537 (Mod)	
410-111429-4	PV-2_25	Total/NA	Water	537 (Mod)	
410-111429-5	PV-2_50	Total/NA	Water	537 (Mod)	
410-111429-6	PV-2_75	Total/NA	Water	537 (Mod)	
410-111429-7	FTB01-230105	Total/NA	Water	537 (Mod)	
410-111429-8	LTB01-230105	Total/NA	Water	537 (Mod)	
MB 410-335474/1-A	Method Blank	Total/NA	Water	537 (Mod)	
LCS 410-335474/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	
LCSD 410-335474/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	

Analysis Batch: 336240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-111429-1	GAC Influent	Total/NA	Water	537 (Mod)	335474
410-111429-2	GAC Midfluent	Total/NA	Water	537 (Mod)	335474
410-111429-3	GAC Effluent	Total/NA	Water	537 (Mod)	335474
410-111429-4	PV-2_25	Total/NA	Water	537 (Mod)	335474
410-111429-5	PV-2_50	Total/NA	Water	537 (Mod)	335474
410-111429-6	PV-2_75	Total/NA	Water	537 (Mod)	335474
410-111429-7	FTB01-230105	Total/NA	Water	537 (Mod)	335474
410-111429-8	LTB01-230105	Total/NA	Water	537 (Mod)	335474
MB 410-335474/1-A	Method Blank	Total/NA	Water	537 (Mod)	335474
LCS 410-335474/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	335474
LCSD 410-335474/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	335474

Analysis Batch: 337116

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-111429-1	GAC Influent	Total/NA	Water	537 DW	334111
410-111429-2	GAC Midfluent	Total/NA	Water	537 DW	334111
410-111429-3	GAC Effluent	Total/NA	Water	537 DW	334111
410-111429-4	PV-2_25	Total/NA	Water	537 DW	334111
410-111429-5	PV-2_50	Total/NA	Water	537 DW	334111
410-111429-6	PV-2_75	Total/NA	Water	537 DW	334111
410-111429-7	FTB01-230105	Total/NA	Water	537 DW	334111
410-111429-8	LTB01-230105	Total/NA	Water	537 DW	334111

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

LCMS (Continued)

Analysis Batch: 337116 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 410-334111/1-A	Method Blank	Total/NA	Water	537 DW	334111
LCS 410-334111/2-A	Lab Control Sample	Total/NA	Water	537 DW	334111
LCSD 410-334111/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	334111

Analysis Batch: 337319

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-111429-1 - DL	GAC Influent	Total/NA	Water	537 DW	334111

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: GAC Influent

Lab Sample ID: 410-111429-1

Date Collected: 01/05/23 10:00

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/17/23 23:58
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 20:00
Total/NA	Prep	537 DW	DL		334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW	DL	10	337319	DCS9	ELLE	01/20/23 12:00

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-111429-2

Date Collected: 01/05/23 10:02

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 00:09
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 20:12

Client Sample ID: GAC Effluent

Lab Sample ID: 410-111429-3

Date Collected: 01/05/23 10:05

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 00:20
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 20:23

Client Sample ID: PV-2_25

Lab Sample ID: 410-111429-4

Date Collected: 01/05/23 10:08

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 00:31
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 20:35

Client Sample ID: PV-2_50

Lab Sample ID: 410-111429-5

Date Collected: 01/05/23 10:12

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 00:42
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 20:47

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Client Sample ID: PV-2_75

Lab Sample ID: 410-111429-6

Date Collected: 01/05/23 10:10

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 00:53
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 21:10

Client Sample ID: FTB01-230105

Lab Sample ID: 410-111429-7

Date Collected: 01/05/23 11:05

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 01:04
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 21:21

Client Sample ID: LTB01-230105

Lab Sample ID: 410-111429-8

Date Collected: 01/05/23 00:00

Matrix: Water

Date Received: 01/06/23 09:48

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537 (Mod)			335474	JU9U	ELLE	01/13/23 21:39
Total/NA	Analysis	537 (Mod)		1	336240	PY4D	ELLE	01/18/23 01:15
Total/NA	Prep	537 DW			334111	HQ8B	ELLE	01/10/23 13:15
Total/NA	Analysis	537 DW		1	337116	DCS9	ELLE	01/19/23 21:33

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	537 (Mod)	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	537 (Mod)	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluorobutanoic acid
537 (Mod)	537 (Mod)	Water	Perfluorodecanesulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluoroheptanesulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluorooctanesulfonamide
537 (Mod)	537 (Mod)	Water	Perfluoropentanoic acid



Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
537 DW	Perfluorinated Alkyl Acids (LC/MS)	EPA	ELLE
537 (Mod)	537 Version 1.1 modified	EPA	ELLE
537 DW	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-111429-1
SDG: HOO

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-111429-1	GAC Influent	Water	01/05/23 10:00	01/06/23 09:48
410-111429-2	GAC Midfluent	Water	01/05/23 10:02	01/06/23 09:48
410-111429-3	GAC Effluent	Water	01/05/23 10:05	01/06/23 09:48
410-111429-4	PV-2_25	Water	01/05/23 10:08	01/06/23 09:48
410-111429-5	PV-2_50	Water	01/05/23 10:12	01/06/23 09:48
410-111429-6	PV-2_75	Water	01/05/23 10:10	01/06/23 09:48
410-111429-7	FTB01-230105	Water	01/05/23 11:05	01/06/23 09:48
410-111429-8	LTB01-230105	Water	01/05/23 00:00	01/06/23 09:48

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



LC

Chain of Custody Record



Environment Testing America

410-111429 Chain of Custody

Client Contact: Kirk Moline <i>Jonathan Dippert</i>		Sampler: <i>Carter Bernick</i>		Lab PM: Hobart, Paul		Camera Tracking No(s):		COC No:		
Company: C. T. Male Associates DPC		Phone: (518)786-7400		E-Mail: Paul.Hobart@et.eurofinsus.com		State of Origin: <i>NY</i>		Page: 1 of 1		
Address: 50 Century Hill Dr		Due Date Requested:		Analysis Requested		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		
City: Latham		TAT Requested (days): Standard								
State, Zip: NY, 12110		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No								
Phone: (518)786-7400		PO #: 14.4756								
Email: k.moline@ctmale.com <i>j.j.dippert@ctmale.com</i>		WVO #:		PFC_IDA - (MOD) 7 PFAS Compounds		537_DW - 14 PFAS Drinking Water List		Job #:		
Project Name: Hoosick Falls WTP		Project #:		Total Number of containers		Preservation Codes:		Special Instructions/Note:		
Site: Hoosick Falls		SSOW#:		Other: <i>Y P 2 M 2 M</i>		A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)				
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	PFC_IDA - (MOD) 7 PFAS Compounds	537_DW - 14 PFAS Drinking Water List	Total Number of containers	Special Instructions/Note:
Preservation Code: <input checked="" type="checkbox"/> J <input checked="" type="checkbox"/> Y										
<i>GAC INFLUENT</i>	<i>1/5/23</i>	<i>10:00</i>	<i>G</i>	<i>water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>	<i>8</i>	<i>Batch QA/gc collected here</i>
<i>GAC MIDFLUENT</i>	<i>1/5/23</i>	<i>10:02</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	
<i>GAC EFFLUENT</i>	<i>1/5/23</i>	<i>10:05</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	
<i>PV-2-25</i>	<i>1/5/23</i>	<i>10:08</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	
<i>PV-2-50</i>	<i>1/5/23</i>	<i>10:12</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	
<i>PV-2-75</i>	<i>1/5/23</i>	<i>10:10</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	
<i>PV-2-</i>										
<i>FT801-230105</i>	<i>1/5/23</i>	<i>10:05</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	
<i>LT801-230105</i>	<i>1/5/23</i>	<i>-</i>	<i>G</i>				<i>X</i>	<i>X</i>	<i>4</i>	

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>Carter Bernick</i>	Date/Time: <i>1/5/23 14:15</i>	Company: <i>CTM</i>	Received by:
Relinquished by:	Date/Time:	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by: <i>[Signature]</i>
			Date/Time: <i>1/6/23 09:48</i> Company: <i>ELLET</i>

Custody Seals Intact: Yes No Custody Seal No.: Cooler Temperature(s) °C and Other Remarks: *0.6*

Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-111429-1

SDG Number: HOO

Login Number: 111429

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: McBeth, Jessica

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	True	
VOA sample vials do not have headspace $>6\text{mm}$ in diameter (none, if from WV)?	N/A	