



ANALYTICAL REPORT

PREPARED FOR

Attn: Jonathan Dippert
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Generated 4/15/2024 2:29:18 PM

JOB DESCRIPTION

Hoosick Falls WTP

JOB NUMBER

410-166789-1

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/15/2024 2:29:18 PM

Authorized for release by
Kelly Gallagher, Project Manager
kelly.gallagher@et.eurofinsus.com
(717)205-7820

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Kelly J. Gallagher



Table of Contents

Cover Page	1
Table of Contents	4
Definitions/Glossary	5
Case Narrative	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	13
Isotope Dilution Summary	14
QC Sample Results	15
QC Association Summary	18
Lab Chronicle	19
Certification Summary	21
Method Summary	22
Sample Summary	23
Chain of Custody	24
Receipt Checklists	25

Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Qualifiers

LCMS

Qualifier	Qualifier Description
*5+	Isotope dilution analyte is outside acceptance limits, high biased.
cn	Refer to Case Narrative for further detail
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project: Hoosick Falls WTP

Job ID: 410-166789-1

Job ID: 410-166789-1

Eurofins Lancaster Laboratories Environment

Job Narrative 410-166789-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 4/5/2024 9:40 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.5°C.

PFAS

Method PFC_IDA: The recovery for the labeled isotope(s) M2-6:2 FTS in the following sample: GAC MIDFLUENT (410-166789-2) is outside the QC acceptance limits. Since the recovery is high and the associated native analyte(s) is not detected in the sample(s), the data is reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-166789-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	3.3		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluorooctanesulfonamide	2.6		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.4		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoroheptanoic acid	11		1.9	ng/L	1		EPA 537.1	Total/NA
Perfluorohexanoic acid	9.4		1.9	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanesulfonic acid	3.2		1.9	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanoic acid - DL	470		19	ng/L	10		EPA 537.1	Total/NA

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-166789-2

No Detections.

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-166789-3

No Detections.

Client Sample ID: FTB01-240404

Lab Sample ID: 410-166789-4

No Detections.

Client Sample ID: LTB01-240404

Lab Sample ID: 410-166789-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-166789-1

Date Collected: 04/04/24 10:00

Matrix: Water

Date Received: 04/05/24 09:40

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
Perfluorobutanoic acid	3.3		1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
Perfluorooctanesulfonamide	2.6		1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
Perfluoropentanoic acid	2.4		1.7	ng/L		04/09/24 15:35	04/11/24 03:32	1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	141		40 - 200			04/09/24 15:35	04/11/24 03:32	1
M2-8:2 FTS	116		37 - 200			04/09/24 15:35	04/11/24 03:32	1
13C4 PFBA	110		22 - 174			04/09/24 15:35	04/11/24 03:32	1
13C5 PFPeA	101		33 - 196			04/09/24 15:35	04/11/24 03:32	1
13C8 PFOS	113		59 - 155			04/09/24 15:35	04/11/24 03:32	1
13C8 FOSA	93		10 - 155			04/09/24 15:35	04/11/24 03:32	1
13C3 PFHxS	110		48 - 169			04/09/24 15:35	04/11/24 03:32	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
NMeFOSAA	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorodecanoic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorododecanoic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluoroheptanoic acid	11		1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorohexanoic acid	9.4		1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorononanoic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorooctanesulfonic acid	3.2		1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L		04/08/24 15:28	04/09/24 22:36	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	117		70 - 130			04/08/24 15:28	04/09/24 22:36	1
13C2 PFHxA	116		70 - 130			04/08/24 15:28	04/09/24 22:36	1
d5-NEtFOSAA	99		70 - 130			04/08/24 15:28	04/09/24 22:36	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	470		19	ng/L		04/08/24 15:28	04/11/24 16:27	10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	129		70 - 130			04/08/24 15:28	04/11/24 16:27	10
13C2 PFHxA	127		70 - 130			04/08/24 15:28	04/11/24 16:27	10
d5-NEtFOSAA	125		70 - 130			04/08/24 15:28	04/11/24 16:27	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-166789-2

Date Collected: 04/04/24 10:15

Matrix: Water

Date Received: 04/05/24 09:40

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1
Perfluorobutanoic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 03:43	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	204	*5+ cn	40 - 200	04/09/24 15:35	04/11/24 03:43	1
M2-8:2 FTS	99		37 - 200	04/09/24 15:35	04/11/24 03:43	1
13C4 PFBA	112		22 - 174	04/09/24 15:35	04/11/24 03:43	1
13C5 PFPeA	100		33 - 196	04/09/24 15:35	04/11/24 03:43	1
13C8 PFOS	111		59 - 155	04/09/24 15:35	04/11/24 03:43	1
13C8 FOSA	96		10 - 155	04/09/24 15:35	04/11/24 03:43	1
13C3 PFHxS	108		48 - 169	04/09/24 15:35	04/11/24 03:43	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
NMeFOSAA	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	102		70 - 130	04/08/24 15:28	04/09/24 22:48	1
13C2 PFHxA	100		70 - 130	04/08/24 15:28	04/09/24 22:48	1
d5-NEtFOSAA	98		70 - 130	04/08/24 15:28	04/09/24 22:48	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-166789-3

Date Collected: 04/04/24 10:20

Matrix: Water

Date Received: 04/05/24 09:40

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1
Perfluorobutanoic acid	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		04/09/24 15:35	04/11/24 03:54	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	177		40 - 200	04/09/24 15:35	04/11/24 03:54	1
M2-8:2 FTS	109		37 - 200	04/09/24 15:35	04/11/24 03:54	1
13C4 PFBA	115		22 - 174	04/09/24 15:35	04/11/24 03:54	1
13C5 PFPeA	104		33 - 196	04/09/24 15:35	04/11/24 03:54	1
13C8 PFOS	115		59 - 155	04/09/24 15:35	04/11/24 03:54	1
13C8 FOSA	103		10 - 155	04/09/24 15:35	04/11/24 03:54	1
13C3 PFHxS	109		48 - 169	04/09/24 15:35	04/11/24 03:54	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
NMeFOSAA	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		04/08/24 15:28	04/09/24 22:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	104		70 - 130	04/08/24 15:28	04/09/24 22:59	1
13C2 PFHxA	104		70 - 130	04/08/24 15:28	04/09/24 22:59	1
d5-NEtFOSAA	105		70 - 130	04/08/24 15:28	04/09/24 22:59	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: FTB01-240404

Lab Sample ID: 410-166789-4

Date Collected: 04/04/24 10:35

Matrix: Water

Date Received: 04/05/24 09:40

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1
8:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1
Perfluorobutanoic acid	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		04/09/24 15:35	04/11/24 04:05	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	196		40 - 200	04/09/24 15:35	04/11/24 04:05	1
M2-8:2 FTS	104		37 - 200	04/09/24 15:35	04/11/24 04:05	1
13C4 PFBA	117		22 - 174	04/09/24 15:35	04/11/24 04:05	1
13C5 PFPeA	108		33 - 196	04/09/24 15:35	04/11/24 04:05	1
13C8 PFOS	120		59 - 155	04/09/24 15:35	04/11/24 04:05	1
13C8 FOSA	102		10 - 155	04/09/24 15:35	04/11/24 04:05	1
13C3 PFHxS	113		48 - 169	04/09/24 15:35	04/11/24 04:05	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
NMeFOSAA	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorohexanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		04/08/24 15:28	04/09/24 23:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	107		70 - 130	04/08/24 15:28	04/09/24 23:11	1
13C2 PFHxA	106		70 - 130	04/08/24 15:28	04/09/24 23:11	1
d5-NEtFOSAA	104		70 - 130	04/08/24 15:28	04/09/24 23:11	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: LTB01-240404

Lab Sample ID: 410-166789-5

Date Collected: 04/04/24 00:00

Matrix: Water

Date Received: 04/05/24 09:40

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1
Perfluorobutanoic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		04/09/24 15:35	04/11/24 04:16	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	191		40 - 200	04/09/24 15:35	04/11/24 04:16	1
M2-8:2 FTS	113		37 - 200	04/09/24 15:35	04/11/24 04:16	1
13C4 PFBA	118		22 - 174	04/09/24 15:35	04/11/24 04:16	1
13C5 PFPeA	106		33 - 196	04/09/24 15:35	04/11/24 04:16	1
13C8 PFOS	114		59 - 155	04/09/24 15:35	04/11/24 04:16	1
13C8 FOSA	106		10 - 155	04/09/24 15:35	04/11/24 04:16	1
13C3 PFHxS	113		48 - 169	04/09/24 15:35	04/11/24 04:16	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
NMeFOSAA	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 23:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	103		70 - 130	04/08/24 15:28	04/09/24 23:22	1
13C2 PFHxA	104		70 - 130	04/08/24 15:28	04/09/24 23:22	1
d5-NEtFOSAA	92		70 - 130	04/08/24 15:28	04/09/24 23:22	1

Surrogate Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		PFDA (70-130)	PFHxA (70-130)	d5NEFOS (70-130)
410-166789-1	GAC INFLUENT	117	116	99
410-166789-1 - DL	GAC INFLUENT	129	127	125
410-166789-2	GAC MIDFLUENT	102	100	98
410-166789-3	GAC EFFLUENT	104	104	105
410-166789-4	FTB01-240404	107	106	104
410-166789-5	LTB01-240404	103	104	92
LCS 410-491879/2-A	Lab Control Sample	103	97	99
LCSD 410-491879/3-A	Lab Control Sample Dup	109	89	86
MB 410-491879/1-A	Method Blank	105	93	102

Surrogate Legend

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

d5NEFOS = d5-NEtFOSAA



Isotope Dilution Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Isotope Dilution Recovery (Acceptance Limits)						
		M262FTS (40-200)	M282FTS (37-200)	PFBA (22-174)	PFPeA (33-196)	C8PFOS (59-155)	PFOSA (10-155)	C3PFHS (48-169)
410-166789-1	GAC INFLUENT	141	116	110	101	113	93	110
410-166789-2	GAC MIDFLUENT	204 *5+ cn	99	112	100	111	96	108
410-166789-3	GAC EFFLUENT	177	109	115	104	115	103	109
410-166789-4	FTB01-240404	196	104	117	108	120	102	113
410-166789-5	LTB01-240404	191	113	118	106	114	106	113
LCS 410-492313/2-A	Lab Control Sample	182	105	105	100	118	90	103
MB 410-492313/1-A	Method Blank	181	106	106	104	109	92	107

Surrogate Legend

- M262FTS = M2-6:2 FTS
- M282FTS = M2-8:2 FTS
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C8PFOS = 13C8 PFOS
- PFOSA = 13C8 FOSA
- C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-492313/1-A
Matrix: Water
Analysis Batch: 492690

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 492313

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
6:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
8:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
Perfluorobutanoic acid	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		04/09/24 15:35	04/11/24 02:48	1
	MB	MB						
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	181		40 - 200			04/09/24 15:35	04/11/24 02:48	1
M2-8:2 FTS	106		37 - 200			04/09/24 15:35	04/11/24 02:48	1
13C4 PFBA	106		22 - 174			04/09/24 15:35	04/11/24 02:48	1
13C5 PFPeA	104		33 - 196			04/09/24 15:35	04/11/24 02:48	1
13C8 PFOS	109		59 - 155			04/09/24 15:35	04/11/24 02:48	1
13C8 FOSA	92		10 - 155			04/09/24 15:35	04/11/24 02:48	1
13C3 PFHxS	107		48 - 169			04/09/24 15:35	04/11/24 02:48	1

Lab Sample ID: LCS 410-492313/2-A
Matrix: Water
Analysis Batch: 492690

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 492313

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
8:2 Fluorotelomer sulfonic acid	24.5	19.1		ng/L		78	55 - 134
Perfluorobutanoic acid	25.6	19.7		ng/L		77	58 - 130
Perfluorodecanesulfonic acid	24.7	19.1		ng/L		78	55 - 130
Perfluoroheptanesulfonic acid	24.4	18.5		ng/L		76	59 - 130
Perfluorooctanesulfonamide	25.6	22.9		ng/L		90	67 - 132
Perfluoropentanoic acid	25.6	20.0		ng/L		78	60 - 130
	LCS	LCS					
Isotope Dilution	%Recovery	Qualifier	Limits				
M2-6:2 FTS	182		40 - 200				
M2-8:2 FTS	105		37 - 200				
13C4 PFBA	105		22 - 174				
13C5 PFPeA	100		33 - 196				
13C8 PFOS	118		59 - 155				
13C8 FOSA	90		10 - 155				
13C3 PFHxS	103		48 - 169				

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Lab Sample ID: MB 410-491879/1-A
Matrix: Water
Analysis Batch: 492320

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 491879

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
NEFOSAA	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
NMeFOSAA	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: MB 410-491879/1-A
Matrix: Water
Analysis Batch: 492320

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 491879

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Perfluorodecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		04/08/24 15:28	04/09/24 21:03	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C2 PFDA	105		70 - 130	04/08/24 15:28	04/09/24 21:03	1
13C2 PFHxA	93		70 - 130	04/08/24 15:28	04/09/24 21:03	1
d5-NEtFOSAA	102		70 - 130	04/08/24 15:28	04/09/24 21:03	1

Lab Sample ID: LCS 410-491879/2-A
Matrix: Water
Analysis Batch: 492320

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 491879

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
NMeFOSAA	60.0	57.6		ng/L		96	70 - 130
Perfluorobutanesulfonic acid	53.1	41.9		ng/L		79	70 - 130
Perfluorodecanoic acid	60.0	62.9		ng/L		105	70 - 130
Perfluorododecanoic acid	60.0	57.0		ng/L		95	70 - 130
Perfluoroheptanoic acid	60.0	55.8		ng/L		93	70 - 130
Perfluorohexanesulfonic acid	54.7	51.1		ng/L		93	70 - 130
Perfluorohexanoic acid	60.0	53.0		ng/L		88	70 - 130
Perfluorononanoic acid	60.0	60.7		ng/L		101	70 - 130
Perfluorooctanesulfonic acid	55.5	53.9		ng/L		97	70 - 130
Perfluorooctanoic acid	60.0	55.5		ng/L		93	70 - 130
Perfluorotetradecanoic acid	60.0	60.5		ng/L		101	70 - 130
Perfluorotridecanoic acid	60.0	58.0		ng/L		97	70 - 130
Perfluoroundecanoic acid	60.0	56.6		ng/L		94	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
13C2 PFDA	103		70 - 130
13C2 PFHxA	97		70 - 130
d5-NEtFOSAA	99		70 - 130

Lab Sample ID: LCSD 410-491879/3-A
Matrix: Water
Analysis Batch: 492320

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 491879

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: LCSD 410-491879/3-A

Matrix: Water

Analysis Batch: 492320

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 491879

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
NMeFOSAA	60.0	54.4		ng/L		91	70 - 130	6	30	
Perfluorobutanesulfonic acid	53.1	42.9		ng/L		81	70 - 130	2	30	
Perfluorodecanoic acid	60.0	66.2		ng/L		110	70 - 130	5	30	
Perfluorododecanoic acid	60.0	59.8		ng/L		100	70 - 130	5	30	
Perfluoroheptanoic acid	60.0	60.3		ng/L		100	70 - 130	8	30	
Perfluorohexanesulfonic acid	54.7	55.5		ng/L		101	70 - 130	8	30	
Perfluorohexanoic acid	60.0	53.3		ng/L		89	70 - 130	1	30	
Perfluorononanoic acid	60.0	57.0		ng/L		95	70 - 130	6	30	
Perfluorooctanesulfonic acid	55.5	53.1		ng/L		96	70 - 130	2	30	
Perfluorooctanoic acid	60.0	56.8		ng/L		95	70 - 130	2	30	
Perfluorotetradecanoic acid	60.0	60.7		ng/L		101	70 - 130	0	30	
Perfluorotridecanoic acid	60.0	54.8		ng/L		91	70 - 130	6	30	
Perfluoroundecanoic acid	60.0	56.6		ng/L		94	70 - 130	0	30	

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
13C2 PFDA	109		70 - 130
13C2 PFHxA	89		70 - 130
d5-NEtFOSAA	86		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

LCMS

Prep Batch: 491879

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-166789-1	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-166789-1 - DL	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-166789-2	GAC MIDFLUENT	Total/NA	Water	537.1 DW Prep	
410-166789-3	GAC EFFLUENT	Total/NA	Water	537.1 DW Prep	
410-166789-4	FTB01-240404	Total/NA	Water	537.1 DW Prep	
410-166789-5	LTB01-240404	Total/NA	Water	537.1 DW Prep	
MB 410-491879/1-A	Method Blank	Total/NA	Water	537.1 DW Prep	
LCS 410-491879/2-A	Lab Control Sample	Total/NA	Water	537.1 DW Prep	
LCS 410-491879/3-A	Lab Control Sample Dup	Total/NA	Water	537.1 DW Prep	

Prep Batch: 492313

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-166789-1	GAC INFLUENT	Total/NA	Water	SPE	
410-166789-2	GAC MIDFLUENT	Total/NA	Water	SPE	
410-166789-3	GAC EFFLUENT	Total/NA	Water	SPE	
410-166789-4	FTB01-240404	Total/NA	Water	SPE	
410-166789-5	LTB01-240404	Total/NA	Water	SPE	
MB 410-492313/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-492313/2-A	Lab Control Sample	Total/NA	Water	SPE	

Analysis Batch: 492320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-166789-1	GAC INFLUENT	Total/NA	Water	EPA 537.1	491879
410-166789-2	GAC MIDFLUENT	Total/NA	Water	EPA 537.1	491879
410-166789-3	GAC EFFLUENT	Total/NA	Water	EPA 537.1	491879
410-166789-4	FTB01-240404	Total/NA	Water	EPA 537.1	491879
410-166789-5	LTB01-240404	Total/NA	Water	EPA 537.1	491879
MB 410-491879/1-A	Method Blank	Total/NA	Water	EPA 537.1	491879
LCS 410-491879/2-A	Lab Control Sample	Total/NA	Water	EPA 537.1	491879
LCS 410-491879/3-A	Lab Control Sample Dup	Total/NA	Water	EPA 537.1	491879

Analysis Batch: 492690

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-166789-1	GAC INFLUENT	Total/NA	Water	537 (Mod)	492313
410-166789-2	GAC MIDFLUENT	Total/NA	Water	537 (Mod)	492313
410-166789-3	GAC EFFLUENT	Total/NA	Water	537 (Mod)	492313
410-166789-4	FTB01-240404	Total/NA	Water	537 (Mod)	492313
410-166789-5	LTB01-240404	Total/NA	Water	537 (Mod)	492313
MB 410-492313/1-A	Method Blank	Total/NA	Water	537 (Mod)	492313
LCS 410-492313/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	492313

Analysis Batch: 493273

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-166789-1 - DL	GAC INFLUENT	Total/NA	Water	EPA 537.1	491879

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-166789-1

Date Collected: 04/04/24 10:00

Matrix: Water

Date Received: 04/05/24 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			492313	D5VP	ELLE	04/09/24 15:35
Total/NA	Analysis	537 (Mod)		1	492690	DQV6	ELLE	04/11/24 03:32
Total/NA	Prep	537.1 DW Prep			491879	S7AC	ELLE	04/08/24 15:28
Total/NA	Analysis	EPA 537.1		1	492320	WR4P	ELLE	04/09/24 22:36
Total/NA	Prep	537.1 DW Prep	DL		491879	S7AC	ELLE	04/08/24 15:28
Total/NA	Analysis	EPA 537.1	DL	10	493273	WR4P	ELLE	04/11/24 16:27

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-166789-2

Date Collected: 04/04/24 10:15

Matrix: Water

Date Received: 04/05/24 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			492313	D5VP	ELLE	04/09/24 15:35
Total/NA	Analysis	537 (Mod)		1	492690	DQV6	ELLE	04/11/24 03:43
Total/NA	Prep	537.1 DW Prep			491879	S7AC	ELLE	04/08/24 15:28
Total/NA	Analysis	EPA 537.1		1	492320	WR4P	ELLE	04/09/24 22:48

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-166789-3

Date Collected: 04/04/24 10:20

Matrix: Water

Date Received: 04/05/24 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			492313	D5VP	ELLE	04/09/24 15:35
Total/NA	Analysis	537 (Mod)		1	492690	DQV6	ELLE	04/11/24 03:54
Total/NA	Prep	537.1 DW Prep			491879	S7AC	ELLE	04/08/24 15:28
Total/NA	Analysis	EPA 537.1		1	492320	WR4P	ELLE	04/09/24 22:59

Client Sample ID: FTB01-240404

Lab Sample ID: 410-166789-4

Date Collected: 04/04/24 10:35

Matrix: Water

Date Received: 04/05/24 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			492313	D5VP	ELLE	04/09/24 15:35
Total/NA	Analysis	537 (Mod)		1	492690	DQV6	ELLE	04/11/24 04:05
Total/NA	Prep	537.1 DW Prep			491879	S7AC	ELLE	04/08/24 15:28
Total/NA	Analysis	EPA 537.1		1	492320	WR4P	ELLE	04/09/24 23:11

Client Sample ID: LTB01-240404

Lab Sample ID: 410-166789-5

Date Collected: 04/04/24 00:00

Matrix: Water

Date Received: 04/05/24 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			492313	D5VP	ELLE	04/09/24 15:35
Total/NA	Analysis	537 (Mod)		1	492690	DQV6	ELLE	04/11/24 04:16
Total/NA	Prep	537.1 DW Prep			491879	S7AC	ELLE	04/08/24 15:28
Total/NA	Analysis	EPA 537.1		1	492320	WR4P	ELLE	04/09/24 23:22

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	SPE	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	Perfluorobutanoic acid
537 (Mod)	SPE	Water	Perfluorodecanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroheptanesulfonic acid
537 (Mod)	SPE	Water	Perfluorooctanesulfonamide
537 (Mod)	SPE	Water	Perfluoropentanoic acid



Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
EPA 537.1	EPA 537.1, Ver 1.0 Nov 2018	EPA	ELLE
537.1 DW Prep	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-166789-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-166789-1	GAC INFLUENT	Water	04/04/24 10:00	04/05/24 09:40
410-166789-2	GAC MIDFLUENT	Water	04/04/24 10:15	04/05/24 09:40
410-166789-3	GAC EFFLUENT	Water	04/04/24 10:20	04/05/24 09:40
410-166789-4	FTB01-240404	Water	04/04/24 10:35	04/05/24 09:40
410-166789-5	LTB01-240404	Water	04/04/24 00:00	04/05/24 09:40

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16



ironme

Chain of Custody Record



Environment Testing

410-166789 Chain of Custody

Sampler <i>Courter Benoit</i>		Lab PM Tessier, Kelly		Carrier Tracking No(s)		COC No 410-77615-21525.1	
Phone <i>(518) 786-2400</i>		E-Mail kelly.tessier@et.eurofinsus.com		State of Origin <i>NY</i>		Page Page 1 of 2	
Jonathan Dippert Company CT Male Associates DPC Address 50 Century Hill Dr City Latham State, Zip NY, 12110 Phone <i>(518) 786-2400</i> Email j.dippert@ctmale.com Project Name Hoosick Falls WTP Site <i>SGPP-McAfee</i>				PWSID		Analysis Requested	
Due Date Requested:		TAT Requested (days): <i>Standard</i>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Job #	
PO #		Purchase Order not required		WO #		Preservation Codes:	
Project # 41000511		SSOW#		Field Filtered Sample (Yes or No)		A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2SO4 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ica U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDTA Y - Trizma Other: Z - other (specify)	
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Total Number of containers
Preservation Code:				N	Y	N	
GAC INFLUENT		4/4/2024	10:00	G	Water	N N X X	8
GAC MIDFLUENT			10:15	G	Water	X X	4
GAC EFFLUENT			10:20	G	Water	X X	4
FTB01-24 04 04			10:35	G	Water	X X	4
LTB01-24 04 04		4/4/2024		G	Water	X X	4
Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		Special Instructions/QC Requirements			
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Deliverable Requested: I, II, III, IV, Other (specify) <i>ASP-B EQUIS-FILE</i>			
Empty Kit Relinquished by:		Date:	Time:	Method of Shipment:			
Relinquished by <i>Courter Benoit</i>		Date/Time <i>13:00 4/4/2024</i>	Company <i>C.Male</i>	Received by		Date/Time	Company
Relinquished by		Date/Time	Company	Received by		Date/Time	Company
Relinquished by		Date/Time	Company	Received by <i>[Signature]</i>		Date/Time <i>09:40 4/15/2024</i>	Company <i>[Signature]</i>
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks <i>R: 2.6 C: 2.5</i>			



Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-166789-1

Login Number: 166789

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Santiago, Nathaniel

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable, where thermal pres is required ($\leq 6C$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temp acceptable, where thermal pres is required ($\leq 6C$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	True	
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A	

