

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Adam Norvelle
WSP USA Inc
300 Great Oaks Boulevard
Suite 300
Albany NY 12203

Generated 3/24/2025 8:25 AM Revision 1

JOB DESCRIPTION

Furon-Hoosick Falls

JOB NUMBER

810-140074-1

Eurofins Eaton Analytical South Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization



Generated
3/24/2025 8:25 AM
Revision 1

Authorized for release by
Nathan Trowbridge, Manager of Project Management
Nathan.Trowbridge@et.eurofinsus.com
574 233-4777

Table of Contents

Cover Title Page	1
Data Summaries	5
Definitions	5
Case Narrative	6
Detection Summary	7
Client Sample Results	8
Default Detection Limits	10
Isotope Dilution Summary	11
QC Sample Results	12
QC Association	16
Chronicle	17
Certification Summary	18
Method Summary	20
Sample Summary	21
Manual Integration Summary	22
Reagent Traceability	28
COAs	122
Organic Sample Data	809
LCMS	809
Method 537	809
Method 537 QC Summary	810
Method 537 Sample Data	820
Standards Data	842
Method 537 ICAL Data	842
Method 537 CCAL Data	1072
Raw QC Data	1180

Table of Contents

Method 537 Blank Data	1180
Method 537 LCS/LCSD Data	1222
Method 537 Run Logs	1264
Method 537 Prep Data	1266
Method PFC IDA	1269
Method PFC IDA QC Summary	1270
Method PFC IDA Sample Data	1280
Standards Data	1308
Method PFC IDA ICAL Data	1308
Method PFC IDA CCAL Data	1571
Raw QC Data	1764
Method PFC IDA Blank Data	1764
Method PFC IDA LCS/LCSD Data	1811
Method PFC IDA Run Logs	1857
Method PFC IDA Prep Data	1860
Subcontracted Data	1864
Shipping and Receiving Documents	1865
Client Chain of Custody	1866
Sample Receipt Checklist	1869

Definitions/Glossary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Qualifiers

LCMS

Qualifier	Qualifier Description
*5-	Isotope dilution analyte is outside acceptance limits, low biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

**Job Narrative
810-140074-1**

REVISION

The report being provided is a revision of the original report sent on 3/14/2025. The report (revision 1) is being revised due to Adding PFC_IDA method per client request.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/5/2025 10:15 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.6°C.

PFAS

Method PFC_IDA: Isotope dilution analyte (IDA) recoveries were outside QC acceptance criteria in samples LC-1 (03042025) (810-140074-1) and LC-2 (03042025) (810-140074-2). The isotope dilution technique corrects the results for the target analytes for any losses that occur during the sample extraction and/or concentration. For all IDA's, the signal to noise was greater than 10:1, therefore the data is reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Client Sample ID: LC-1 (03042025)

Lab Sample ID: 810-140074-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid (PFBA)	3.3		1.8		ng/L	1		537 IDA	Total/NA

Client Sample ID: LC-2 (03042025)

Lab Sample ID: 810-140074-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorononanoic acid (PFNA)	4.3		1.9		ng/L	1		537 IDA	Total/NA
Perfluorobutanoic acid (PFBA)	2.8		1.9		ng/L	1		537 IDA	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Client Sample ID: LC-1 (03042025)

Lab Sample ID: 810-140074-1

Date Collected: 03/04/25 11:15

Matrix: Water

Date Received: 03/05/25 10:15

Method: EPA 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluoroheptanoic acid (PFHpA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorooctanoic acid (PFOA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorononanoic acid (PFNA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorodecanoic acid (PFDA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorotridecanoic acid (PFTrDA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorotetradecanoic acid (PFTeDA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorobutanesulfonic acid (PFBS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorohexanesulfonic acid (PFHxS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorooctanesulfonic acid (PFOS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluoroheptanesulfonic acid (PFHpS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorodecanesulfonic acid (PFDS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorooctanesulfonamide (PFOSAm)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorobutanoic acid (PFBA)	3.3		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluoroundecanoic acid (PFUnA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluorododecanoic acid (PFDoA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Perfluoropentanoic acid (PFPeA)	<1.8		1.8		ng/L		03/19/25 15:56	03/22/25 00:06	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2-8:2 FTS	96		27 - 200				03/19/25 15:56	03/22/25 00:06	1
13C2-6:2 FTS	97		26 - 200				03/19/25 15:56	03/22/25 00:06	1
13C5-PFHxA	77		20 - 165				03/19/25 15:56	03/22/25 00:06	1
13C4-PFHpA	90		33 - 166				03/19/25 15:56	03/22/25 00:06	1
13C8-PFOA	85		40 - 154				03/19/25 15:56	03/22/25 00:06	1
13C9-PFNA	51		39 - 162				03/19/25 15:56	03/22/25 00:06	1
13C6-PFDA	83		41 - 153				03/19/25 15:56	03/22/25 00:06	1
13C7-PFUnA	82		35 - 161				03/19/25 15:56	03/22/25 00:06	1
13C2-PFDoA	73		25 - 163				03/19/25 15:56	03/22/25 00:06	1
13C2-PFTeDA	73		17 - 156				03/19/25 15:56	03/22/25 00:06	1
13C3-PFBS	82		27 - 200				03/19/25 15:56	03/22/25 00:06	1
13C3-PFHxS	88		39 - 164				03/19/25 15:56	03/22/25 00:06	1
13C8-PFOS	86		44 - 153				03/19/25 15:56	03/22/25 00:06	1
d3-NMeFOSAA	91		29 - 167				03/19/25 15:56	03/22/25 00:06	1
d5-NEtFOSAA	102		30 - 180				03/19/25 15:56	03/22/25 00:06	1
13C8-PFOSA	82		11 - 149				03/19/25 15:56	03/22/25 00:06	1
13C4-PFBA	6	*5-	10 - 168				03/19/25 15:56	03/22/25 00:06	1
13C5-PFPeA	76		15 - 189				03/19/25 15:56	03/22/25 00:06	1

Client Sample Results

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Client Sample ID: LC-2 (03042025)

Lab Sample ID: 810-140074-2

Date Collected: 03/04/25 11:50

Matrix: Water

Date Received: 03/05/25 10:15

Method: EPA 537 IDA - EPA 537 Isotope Dilution

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluoroheptanoic acid (PFHpA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorooctanoic acid (PFOA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorononanoic acid (PFNA)	4.3		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorodecanoic acid (PFDA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorotridecanoic acid (PFTTrDA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorotetradecanoic acid (PFTeDA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorobutanesulfonic acid (PFBS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorohexanesulfonic acid (PFHxS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorooctanesulfonic acid (PFOS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluoroheptanesulfonic acid (PFHpS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorodecanesulfonic acid (PFDS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorooctanesulfonamide (PFOSAm)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorobutanoic acid (PFBA)	2.8		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluoroundecanoic acid (PFUnA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluorododecanoic acid (PFDoA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Perfluoropentanoic acid (PFPeA)	<1.9		1.9		ng/L		03/19/25 15:56	03/22/25 00:20	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2-8:2 FTS	98		27 - 200				03/19/25 15:56	03/22/25 00:20	1
13C2-6:2 FTS	91		26 - 200				03/19/25 15:56	03/22/25 00:20	1
13C5-PFHxA	72		20 - 165				03/19/25 15:56	03/22/25 00:20	1
13C4-PFHpA	83		33 - 166				03/19/25 15:56	03/22/25 00:20	1
13C8-PFOA	81		40 - 154				03/19/25 15:56	03/22/25 00:20	1
13C9-PFNA	84		39 - 162				03/19/25 15:56	03/22/25 00:20	1
13C6-PFDA	76		41 - 153				03/19/25 15:56	03/22/25 00:20	1
13C7-PFUnA	73		35 - 161				03/19/25 15:56	03/22/25 00:20	1
13C2-PFDoA	64		25 - 163				03/19/25 15:56	03/22/25 00:20	1
13C2-PFTeDA	64		17 - 156				03/19/25 15:56	03/22/25 00:20	1
13C3-PFBS	75		27 - 200				03/19/25 15:56	03/22/25 00:20	1
13C3-PFHxS	81		39 - 164				03/19/25 15:56	03/22/25 00:20	1
13C8-PFOS	81		44 - 153				03/19/25 15:56	03/22/25 00:20	1
d3-NMeFOSAA	86		29 - 167				03/19/25 15:56	03/22/25 00:20	1
d5-NEtFOSAA	85		30 - 180				03/19/25 15:56	03/22/25 00:20	1
13C8-PFOSA	73		11 - 149				03/19/25 15:56	03/22/25 00:20	1
13C4-PFBA	6	*5-	10 - 168				03/19/25 15:56	03/22/25 00:20	1
13C5-PFPeA	72		15 - 189				03/19/25 15:56	03/22/25 00:20	1

Default Detection Limits

Client: WSP USA Inc
 Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method: 537 IDA - EPA 537 Isotope Dilution

Prep: SPE

Analyte	RL	MDL
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.0 ng/L	0.60 ng/L
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.0 ng/L	1.1 ng/L
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.0 ng/L	0.50 ng/L
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.0 ng/L	0.40 ng/L
Perfluorobutanesulfonic acid (PFBS)	2.0 ng/L	0.30 ng/L
Perfluorobutanoic acid (PFBA)	2.0 ng/L	1.0 ng/L
Perfluorodecanesulfonic acid (PFDS)	2.0 ng/L	0.30 ng/L
Perfluorodecanoic acid (PFDA)	2.0 ng/L	0.30 ng/L
Perfluorododecanoic acid (PFDoA)	2.0 ng/L	0.40 ng/L
Perfluoroheptanesulfonic acid (PFHpS)	2.0 ng/L	0.30 ng/L
Perfluoroheptanoic acid (PFHpA)	2.0 ng/L	0.30 ng/L
Perfluorohexanesulfonic acid (PFHxS)	2.0 ng/L	0.20 ng/L
Perfluorohexanoic acid (PFHxA)	2.0 ng/L	1.0 ng/L
Perfluorononanoic acid (PFNA)	2.0 ng/L	0.20 ng/L
Perfluorooctanesulfonamide (PFOSAm)	2.0 ng/L	0.30 ng/L
Perfluorooctanesulfonic acid (PFOS)	2.0 ng/L	0.50 ng/L
Perfluorooctanoic acid (PFOA)	2.0 ng/L	0.30 ng/L
Perfluoropentanoic acid (PFPeA)	2.0 ng/L	0.30 ng/L
Perfluorotetradecanoic acid (PFTeDA)	2.0 ng/L	0.40 ng/L
Perfluorotridecanoic acid (PFTrDA)	2.0 ng/L	0.40 ng/L
Perfluoroundecanoic acid (PFUnA)	2.0 ng/L	0.30 ng/L

Isotope Dilution Summary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method: 537 IDA - EPA 537 Isotope Dilution

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	M282FTS (27-200)	M262FTS (26-200)	13C5PHA (20-165)	C4PFHA (33-166)	C8PFOA (40-154)	C9PFNA (39-162)	C6PFDA (41-153)	13C7PUA (35-161)
810-140074-1	LC-1 (03042025)	96	97	77	90	85	51	83	82
810-140074-2	LC-2 (03042025)	98	91	72	83	81	84	76	73
LCS 410-619099/2-A	Lab Control Sample	82	89	78	82	77	79	73	69
LCSD 410-619099/3-A	Lab Control Sample Dup	85	87	74	81	77	75	77	72
MB 410-619099/1-A	Method Blank	69	76	62	67	69	71	66	62

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFDODA (25-163)	PFTDA (17-156)	C3PFBS (27-200)	C3PFHS (39-164)	C8PFOS (44-153)	d3NMFOS (29-167)	d5NEFOS (30-180)	PFOSA (11-149)
810-140074-1	LC-1 (03042025)	73	73	82	88	86	91	102	82
810-140074-2	LC-2 (03042025)	64	64	75	81	81	86	85	73
LCS 410-619099/2-A	Lab Control Sample	68	64	75	83	82	85	86	74
LCSD 410-619099/3-A	Lab Control Sample Dup	66	59	73	79	78	86	84	69
MB 410-619099/1-A	Method Blank	62	58	60	69	68	75	78	64

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFBA (10-168)	PFPeA (15-189)
810-140074-1	LC-1 (03042025)	6 *5-	76
810-140074-2	LC-2 (03042025)	6 *5-	72
LCS 410-619099/2-A	Lab Control Sample	66	71
LCSD 410-619099/3-A	Lab Control Sample Dup	61	66
MB 410-619099/1-A	Method Blank	50	56

Surrogate Legend

M282FTS = 13C2-8:2 FTS
M262FTS = 13C2-6:2 FTS
13C5PHA = 13C5-PFHxA
C4PFHA = 13C4-PFHpA
C8PFOA = 13C8-PFOA
C9PFNA = 13C9-PFNA
C6PFDA = 13C6-PFDA
13C7PUA = 13C7-PFUnA
PFDODA = 13C2-PFDODA
PFTDA = 13C2-PFTeDA
C3PFBS = 13C3-PFBS
C3PFHS = 13C3-PFHxS
C8PFOS = 13C8-PFOS
d3NMFOS = d3-NMeFOSAA
d5NEFOS = d5-NEtFOSAA
PFOSA = 13C8-PFOSA
PFBA = 13C4-PFBA
PFPeA = 13C5-PFPeA

QC Sample Results

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method: 537 IDA - EPA 537 Isotope Dilution

Lab Sample ID: MB 410-619099/1-A
Matrix: Water
Analysis Batch: 620139

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 619099

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid PFHxA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluoroheptanoic acid PFHpA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorooctanoic acid PFOA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorononanoic acid PFNA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorodecanoic acid PFDA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorotridecanoic acid PFTrDA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorotetradecanoic acid PFTeDA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorobutanesulfonic acid PFBS9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorooctanesulfonic acid PFOS9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
N-ethylperfluorooctanesulfonamide Loacetic acid NEtFOSAA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
N-methylperfluorooctanesulfonamide Loacetic acid NMeFOSAA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluoroheptanesulfonic acid PFHpS9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorodecanesulfonic acid PFDS9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorooctanesulfonamide Le PFOSAm9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorobutanoic acid PFBA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluoroundecanoic acid PFUnA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluorododecanoic acid PFDoA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
1H,1H,5H,5H-Perfluorooctane sulfonic acid 3:5 FTS9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
1H,1H,5H,5H-Perfluorodecane sulfonic acid 3:5 FTS9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1
Perfluoropentanoic acid PFPeA9	2500		500		ng/h		0x/1d/5(1(:(:	0x/51/5(1d:07	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2-8:2 FTS	69		27 - 200	03/19/25 15:56	03/21/25 19:07	1
13C2-6:2 FTS	76		26 - 200	03/19/25 15:56	03/21/25 19:07	1
13C5-PFHxA	62		20 - 165	03/19/25 15:56	03/21/25 19:07	1
13C4-PFHpA	67		33 - 166	03/19/25 15:56	03/21/25 19:07	1
13C8-PFOA	69		40 - 154	03/19/25 15:56	03/21/25 19:07	1
13C9-PFNA	71		39 - 162	03/19/25 15:56	03/21/25 19:07	1
13C6-PFDA	66		41 - 153	03/19/25 15:56	03/21/25 19:07	1
13C7-PFUnA	62		35 - 161	03/19/25 15:56	03/21/25 19:07	1
13C2-PFDoA	62		25 - 163	03/19/25 15:56	03/21/25 19:07	1
13C2-PFTeDA	58		17 - 156	03/19/25 15:56	03/21/25 19:07	1
13C3-PFBS	60		27 - 200	03/19/25 15:56	03/21/25 19:07	1
13C3-PFHxS	69		39 - 164	03/19/25 15:56	03/21/25 19:07	1
13C8-PFOS	68		44 - 153	03/19/25 15:56	03/21/25 19:07	1
d3-NMeFOSAA	75		29 - 167	03/19/25 15:56	03/21/25 19:07	1
d5-NEtFOSAA	78		30 - 180	03/19/25 15:56	03/21/25 19:07	1
13C8-PFOSA	64		11 - 149	03/19/25 15:56	03/21/25 19:07	1
13C4-PFBA	50		10 - 168	03/19/25 15:56	03/21/25 19:07	1
13C5-PFPeA	56		15 - 189	03/19/25 15:56	03/21/25 19:07	1

QC Sample Results

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: LCS 410-619099/2-A
Matrix: Water
Analysis Batch: 620139

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 619099

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanoic acid PFHGA9	5(θ)	54θ		nf/h		d)	(4 - 1x0
Perfluoroheptanoic acid PFHpA9	5(θ)	5)θ		nf/h		10x	(7 - 1x0
Perfluorooctanoic acid PFOA9	5(θ)	5(θ		nf/h		dd	(8 - 1x0
Perfluorononanoic acid PFNA9	5(θ)	5(θ		nf/h		101)1 - 1x0
Perfluorodecanoic acid PFDA9	5(θ)	5)θ		nf/h		10x)1 - 1x0
Perfluorotridecanoic acid PFTrDA9	5(θ)	5dθ		nf/h		11)	() - 1x0
Perfluorotetradecanoic acid PFTeDA9	5(θ)	5dθ		nf/h		11)	(d - 1x0
Perfluorobutanesulfonic acid PFBS9	55θ	5)θ		nf/h		11)	(8 - 1x0
Perfluorooctanesulfonic acid PFHGS9	5xθ	5xθ		nf/h		101	(d - 1x0
Perfluorooctanesulfonic acid PFOS9	5xθ	55θ		nf/h		d)	(d - 1x0
N-ethylperfluorooctanesulfonamide Loacetic acid NEtFOSAA9	5(θ)	54θ		nf/h		d4	(7 - 1x0
N-methylperfluorooctanesulfonamide Loacetic acid NMeFOSAA9	5(θ)	54θ		nf/h		d)	(8 - 1x0
Perfluoroheptanesulfonic acid PFHpS9	54θ	54θ		nf/h		105	((- 1x0
Perfluorodecanesulfonic acid PFDS9	54θ	57θ		nf/h		111	(x - 1x0
Perfluorooctanesulfonamide PFOSAm9	5(θ)	5(θ		nf/h		d8)4 - 1xx
Perfluorobutanoic acid PFBA9	5(θ)	5)θ		nf/h		10(() - 1x0
Perfluoroundecanoic acid PFUnA9	5(θ)	58θ		nf/h		115)0 - 1x0
Perfluorododecanoic acid PFDoA9	5(θ)	54θ		nf/h		d((d - 1x0
1H,1H,5H,5H-Perfluorooctanesulfonic acid 3:5 FTS9	54θ	51θ		nf/h		8)	() - 1x0
1H,1H,5H,5H-Perfluorodecanesulfonic acid 3:5 FTS9	54θ	55θ		nf/h		d5	((- 1x0
Perfluoropentanoic acid PFPeA9	5(θ)	54θ		nf/h		d4	() - 1x0

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
13C2-8:2 FTS	82		27 - 200
13C2-6:2 FTS	89		26 - 200
13C5-PFHxA	78		20 - 165
13C4-PFHpA	82		33 - 166
13C8-PFOA	77		40 - 154
13C9-PFNA	79		39 - 162
13C6-PFDA	73		41 - 153
13C7-PFUnA	69		35 - 161
13C2-PFDoA	68		25 - 163
13C2-PFTeDA	64		17 - 156
13C3-PFBS	75		27 - 200
13C3-PFHxS	83		39 - 164
13C8-PFOS	82		44 - 153
d3-NMeFOSAA	85		29 - 167
d5-NEtFOSAA	86		30 - 180

QC Sample Results

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: LCS 410-619099/2-A
Matrix: Water
Analysis Batch: 620139

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 619099

Isotope Dilution	LCS		Limits
	%Recovery	Qualifier	
13C8-PFOA	74		11 - 149
13C4-PFBA	66		10 - 168
13C5-PFPeA	71		15 - 189

Lab Sample ID: LCSD 410-619099/3-A
Matrix: Water
Analysis Batch: 620139

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 619099

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	
							Limits	RPD	Limit	RPD
Perfluorooctanoic acid PFHGA9	5(θ)	5)θ		nf/h		10x	(4 - 1x0	7	x0	
Perfluoroheptanoic acid PFHpA9	5(θ)	57θ		nf/h		107	(7 - 1x0	4	x0	
Perfluorooctanoic acid PFOA9	5(θ)	5)θ		nf/h		10x	(8 - 1x0	(x0	
Perfluorononanoic acid PFNA9	5(θ)	5(θ		nf/h		100)1 - 1x0	0	x0	
Perfluorodecanoic acid PFDA9	5(θ)	54θ		nf/h		d))1 - 1x0	7	x0	
Perfluorododecanoic acid PFTrDA9	5(θ)	5dθ		nf/h		114	() - 1x0	1	x0	
Perfluorotetradecanoic acid PFTeDA9	5(θ)	58θ		nf/h		11x	(d - 1x0	5	x0	
Perfluorobutanesulfonic acid PFBS9	55θ	54θ		nf/h		10d	(8 - 1x0)	x0	
Perfluorooctanesulfonic acid PFHGS9	5xθ	5(θ		nf/h		108	(d - 1x0	7	x0	
Perfluorooctanesulfonic acid PFOS9	5xθ	5xθ		nf/h		d8	(d - 1x0	5	x0	
N-ethylperfluorooctanesulfonamide Loacetic acid NEtFOSAA9	5(θ)	5(θ		nf/h		d8	(7 - 1x0	(x0	
N-methylperfluorooctanesulfonamide Loacetic acid NMeFOSAA9	5(θ)	54θ		nf/h		d)	(8 - 1x0	0	x0	
Perfluoroheptanesulfonic acid PFHpS9	54θ	5)θ		nf/h		108	((- 1x0)	x0	
Perfluorodecanesulfonic acid PFDS9	54θ	57θ		nf/h		110	(x - 1x0	0	x0	
Perfluorooctanesulfonamide PFOSAm9	5(θ)	57θ		nf/h		10d)4 - 1xx	10	x0	
Perfluorobutanoic acid PFBA9	5(θ)	5dθ		nf/h		11)	() - 1x0	10	x0	
Perfluoroundecanoic acid PFUnA9	5(θ)	5(θ		nf/h		100)0 - 1x0	11	x0	
Perfluorododecanoic acid PFDoA9	5(θ)	5dθ		nf/h		11((d - 1x0	1d	x0	
1H,1H,5H,5H-Perfluorooctanesulfonic acid 3:5 FTS9	54θ	51θ		nf/h		88	() - 1x0	5	x0	
1H,1H,5H,5H-Perfluorodecanesulfonic acid 3:5 FTS9	54θ	5xθ		nf/h		d4	((- 1x0	5	x0	
Perfluoropentanoic acid PFPeA9	5(θ)	5(θ		nf/h		dd	() - 1x0	(x0	

Isotope Dilution	LCSD		Limits
	%Recovery	Qualifier	
13C2-8:2 FTS	85		27 - 200
13C2-6:2 FTS	87		26 - 200
13C5-PFHxA	74		20 - 165
13C4-PFHpA	81		33 - 166
13C8-PFOA	77		40 - 154
13C9-PFNA	75		39 - 162

QC Sample Results

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: LCSD 410-619099/3-A

Matrix: Water

Analysis Batch: 620139

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 619099

<i>Isotope Dilution</i>	<i>LCSD LCSD</i>		<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
13C6-PFDA	77		41 - 153
13C7-PFUnA	72		35 - 161
13C2-PFDoA	66		25 - 163
13C2-PFTeDA	59		17 - 156
13C3-PFBS	73		27 - 200
13C3-PFHxS	79		39 - 164
13C8-PFOS	78		44 - 153
d3-NMeFOSAA	86		29 - 167
d5-NEtFOSAA	84		30 - 180
13C8-PFOSA	69		11 - 149
13C4-PFBA	61		10 - 168
13C5-PFPeA	66		15 - 189

QC Association Summary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

LCMS

Prep Batch: 619099

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-140074-1	LC-1 (03042025)	Total/NA	Water	SPE	
810-140074-2	LC-2 (03042025)	Total/NA	Water	SPE	
MB 410-619099/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-619099/2-A	Lab Control Sample	Total/NA	Water	SPE	
LCSD 410-619099/3-A	Lab Control Sample Dup	Total/NA	Water	SPE	

Analysis Batch: 620139

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-140074-1	LC-1 (03042025)	Total/NA	Water	537 IDA	619099
810-140074-2	LC-2 (03042025)	Total/NA	Water	537 IDA	619099
MB 410-619099/1-A	Method Blank	Total/NA	Water	537 IDA	619099
LCS 410-619099/2-A	Lab Control Sample	Total/NA	Water	537 IDA	619099
LCSD 410-619099/3-A	Lab Control Sample Dup	Total/NA	Water	537 IDA	619099

Lab Chronicle

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Client Sample ID: LC-1 (03042025)

Lab Sample ID: 810-140074-1

Date Collected: 03/04/25 11:15

Matrix: Water

Date Received: 03/05/25 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			619099	D8NM	ELLE	03/19/25 15:56
Total/NA	Analysis	537 IDA		1	620139	WR4P	ELLE	03/22/25 00:06

Client Sample ID: LC-2 (03042025)

Lab Sample ID: 810-140074-2

Date Collected: 03/04/25 11:50

Matrix: Water

Date Received: 03/05/25 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			619099	D8NM	ELLE	03/19/25 15:56
Total/NA	Analysis	537 IDA		1	620139	WR4P	ELLE	03/22/25 00:20

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: WSP USA Inc
 Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	0001.01	11-30-26
A2LA	Dept. of Energy	0001.01	11-30-26
A2LA	ISO/IEC 17025	0001.01	11-30-26
Alabama	State	43200	01-31-26
Alaska	State	PA00009	06-30-25
Arizona	State	AZ0780	03-12-26
Arkansas DEQ	State	88-00660	08-09-25
California	State	2792	01-31-26
Colorado	State	PA00009	06-30-25
Connecticut	State	PH-0746	06-30-25
Delaware (DW)	State	N/A	01-31-26
Florida	NELAP	E87997	06-30-25
Georgia (DW)	State	C048	01-31-26
Illinois	NELAP	200027	01-31-26
Iowa	State	361	03-01-26
Kansas	NELAP	E-10151	10-31-25
Kentucky (DW)	State	KY90088	12-31-25
Kentucky (UST)	State	0001.01	11-30-26
Kentucky (WW)	State	KY90088	12-31-25
Louisiana (All)	NELAP	02055	06-30-25
Maine	State	2019012	03-12-27
Maryland	State	100	06-30-25
Massachusetts	State	M-PA009	06-30-25
Michigan	State	9930	01-31-26
Minnesota	NELAP	042-999-487	12-31-25
Mississippi	State	023	01-31-26
Missouri	State	450	01-31-28
Montana (DW)	State	0098	01-01-26
Nebraska	State	NE-OS-32-17	01-31-26
New Hampshire	NELAP	2730	01-10-26
New Jersey	NELAP	PA011	06-30-25
New York	NELAP	10670	04-01-25
North Carolina (DW)	State	42705	07-31-25
North Carolina (WW/SW)	State	521	12-31-25
North Dakota	State	R-205	01-31-24 *
Oklahoma	NELAP	9804	08-31-25
Oregon	NELAP	PA200001	09-11-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification Summary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Pennsylvania	NELAP	36-00037	01-31-26
Quebec Ministry of Environment and Fight against Climate Change	PALA	507	09-16-29
Rhode Island	State	LAO00338	12-30-25
South Carolina	State	89002	01-31-25 *
Tennessee	State	02838	01-31-26
Texas	NELAP	T104704194-23-46	08-31-25
USDA	US Federal Programs	525-22-298-19481	10-25-25
Vermont	State	VT - 36037	10-28-25
Virginia	NELAP	460182	06-14-25
Washington	State	C457	04-11-25
West Virginia (DW)	State	9906 C	03-31-26
West Virginia DEP	State	055	07-31-25
Wyoming	State	8TMS-L	01-31-26
Wyoming (UST)	A2LA	0001.01	11-30-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Method	Method Description	Protocol	Laboratory
537 IDA	EPA 537 Isotope Dilution	EPA	ELLE
SPE	PFAS by SPE	Lab SOP	ELLE

Protocol References:

EPA = US Environmental Protection Agency
Lab SOP = Laboratory Standard Operating Procedure

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: WSP USA Inc
Project/Site: Furon-Hoosick Falls

Job ID: 810-140074-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-140074-1	LC-1 (03042025)	Water	03/04/25 11:15	03/05/25 10:15
810-140074-2	LC-2 (03042025)	Water	03/04/25 11:50	03/05/25 10:15

Shipping and Receiving Documents

urofins Eaton Analytical South
10 S Hill Street
South Bend, IN 46617
74) 233-4777



Honeywell

Save with QC Check:
Gray Cells Required

More Columns

Print Short COC
Print Expanded COC

AEIS Ref: 45720 54861
COC# 37969 20250304
001
Page 1 of 1

810-140074 COC

Sampling Co.: WSP

Chain of Custody / Analysis Request
Pricing Source (RFP, Auction, etc) RFP2019
Email of person receiving EDD: Adam Norville@WSP.com, Ryan, Batchner@WSP.com
Adam Norville

HW Site Name: From-Hoosick Falls
Location of Site: Hoosick Falls, NY

Task Type WBS Code: 2400

Lab Prof # (SDG): Eurofins-EATON-RI
Lab Location ID: R37899

Reporting Information (DocuSign First Signer)
Name: WSP USA
Address: 300 Great Oaks Blvd, Ste 300
City, State, ZIP: Albany, NY 12203
Contact: Adam.Norville@WSP.com

PO #: A001695407
Analysis Turnaround Time (calendar days): 14
Consultant: WSP

Analytical Group Name: WSP

HW Site R-Code: R37899

Sampling Program: OUI2
Authorized User: Honeywell
Lab Parent ID: EUROFINIS

Billing Information (DocuSign Second Signer)
Co. Name: Honeywell
Address: 115 Tabor Rd
City, State, ZIP: Morris Plains, NJ 07960
HW RMI email: Sasa.Jazic@Honeywell.com

Laboratory Contact: Nathan Trowbridge
Report Tier Level: 2
Full Report and EDD TAT (calendar days): 14
Honeywell RMI Name: Sasa Jazic

Composite (Y, N)
Field Filtered Sample (Y, N)
537_1_DW - PFAS, 14 Compounds
537_REV1.1_MOD_PFC_IDA - PFAS, 7 Compounds

Lab Prof # (SDG): Eurofins-EATON-RI

Lab Location ID: R37899

Sample Identification
Location ID: Lactox Well 1
Start Depth (ft):
End Depth (ft):
Field Sample ID: LC-1(03042025)

Sample Date: 03/04/2025
Sample Time: 11:15
Sample Type: REG
Sample Matrix: W-DW
Sample Medium: Water
of Cont: 2

Units: ng/L

Initial Temp: 25
Corrected Temp: 17.5
IR Gun: *[Handwritten]*

Sampling Method (ft. sample method):
Lab Sample Numbers:

Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Medium	# of Cont.	Units	Composite (Y, N)	Field Filtered Sample (Y, N)	Task Type WBS Code	RIFS	Lab Prof # (SDG)	Lab Location ID	HW Site R-Code	Sampling Program	Authorized User	Lab Parent ID	
1	Lactox Well 1		LC-1(03042025)	03/04/2025	11:15	REG	W-DW	Water	2	ng/L	X	X									
2	Lactox Well 2		LC-2(03042025)	03/04/2025	11:50	REG	W-DW	Water	2	ng/L	X	X									
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					

Relinquished by: *[Signature]*
Company: WSP

Date/Time: 3-4-25/1330

Received by: *[Signature]*
Date/Time: 03-05-2025

Condition: Cooler Temp.

Custody Seals Intact

Relinquished by: *[Signature]*
Company: WSP

Date/Time: 3-4-25/1330

Received by: *[Signature]*
Date/Time: 03-05-2025

Condition: Cooler Temp.

Custody Seals Intact

Relinquished by: *[Signature]*
Company: WSP

Date/Time: 3-4-25/1330

Received by: *[Signature]*
Date/Time: 03-05-2025

Condition: Cooler Temp.

Custody Seals Intact

Relinquished by: *[Signature]*
Company: WSP

Date/Time: 3-4-25/1330

Received by: *[Signature]*
Date/Time: 03-05-2025

Condition: Cooler Temp.

Custody Seals Intact

Feder's Tracking # 438904783986



10 S Hill Street
 South Bend, IN 46617
 Phone: 574-233-4777 Fax: 574-233-8207

Client Information (Sub Contract Lab)

Client Contact: **N/A**
 Shipping/Receiving: **N/A**

Company: **urofins Lancaster Laboratories Environm**

Address: **425 New Holland Pike**

City/State: **ancaster**

Phone: **764-17601**

Home: **17-656-2300(Tel)**

Mail: **N/A**

Project Name: **uron-Hoosick Falls**

Project #: **81009449**

Site: **N/A**

SSOW#: **N/A**

Sampler: **N/A**
 Lab PM: **Trowbridge, Nathan**
 E-Mail: **Nathan.Trowbridge@et.urofins.com**
 Phone: **N/A**
 Accreditations Required (See note): **NELAP - Illinois**

Carrier Tracking No(s): **N/A**
 State of Origin: **New York**

COC No: **810-53022-1**
 Page: **Page 1 of 1**
 Job #: **810-140074-1**

Preservation Codes:

Due Date Requested: **4/8/2025**

TAT Requested (days): **N/A**

Analysis Requested

Sample ID (Lab ID)	Sample Date	Sample Time	Sample Type (G=grab)	Matrix (Water, Solid, Other)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total Number of containers	Special Instructions/Note:
C-1 (03042025) (810-140074-1)	3/4/25	11:15 Eastern	G	Water	X	X	2	
LC-2 (03042025) (810-140074-2)	3/4/25	11:50 Eastern	G	Water	X	X	2	

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) **Primary Deliverable Rank: 2**

Empty Kit Relinquished by:

Relinquished by: **Fairy Polingbluff**

Relinquished by: **Fairy Polingbluff**

Relinquished by: **Fairy Polingbluff**

Custody Seals Intact: **Yes**

Date: **03/10/2025**

Date/Time: **0850**

Date/Time: **0850**

Date/Time: **0850**

Date/Time: **0850**

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client Disposal By Lab Archive For Months

Special Instructions/QC Requirements:

Method of Shipment

Cooler Temperature(s) °C and Other Remarks:

Eurofins Eaton Analytical South Bend

110 S Hill Street
 South Bend, IN 46617
 Phone: 574-233-4777 Fax: 574-233-8207

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A		Lab PM: Trowbridge, Nathan		Carrier Tracking No(s): N/A		COC No: 810-53022.1	
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Nathan.Trowbridge@et.eurofinsus.com		State of Origin: New York		Page: Page 1 of 1	
Company: Eurofins Lancaster Laboratories Environm				Accreditations Required (See note): NELAP - Illinois				Job #: 810-140074-1	
Address: 2425 New Holland Pike, City: Lancaster State, Zip: PA, 17601		Due Date Requested: 4/8/2025		Analysis Requested				Preservation Codes: -	
Phone: 717-656-2300(Tel)		TAT Requested (days): N/A							
Email: N/A		PO #: N/A							
Project Name: Furon-Hoosick Falls		WO #: N/A							
Site: N/A		Project #: 81009449							
SSOW#: N/A		Matrix (W=water, B=solid, O=waste/oil, BT=Tissue, A=Air)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Total Number of containers	
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
LC-1 (03042025) (810-140074-1)		3/4/25	11:15 Eastern	G	Water		X		2
LC-2 (03042025) (810-140074-2)		3/4/25	11:50 Eastern	G	Water		X		2
<p>Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.</p>									
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
Unconfirmed					<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested: I, II, III, IV, Other (specify)			Primary Deliverable Rank: 2		Special Instructions/QC Requirements:				
Empty Kit Relinquished by:			Date:		Time:		Method of Shipment:		
Relinquished by: <i>Penny Peltigal-Wright</i>			Date/Time: 03/10/2025 0850		Company: EEASB		Received by:		Date/Time:
Relinquished by:			Date/Time:		Company:		Received by:		Date/Time:
Relinquished by:			Date/Time:		Company:		Received by:		Date/Time: 3/17/25 0940
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:			Cooler Temperature(s) °C and Other Remarks: R: 1.1 C: 1.1				

Login Sample Receipt Checklist

Client: WSP USA Inc

Job Number: 810-140074-1

Login Number: 140074

List Number: 1

Creator: Moore, Gary

List Source: Eurofins Eaton Analytical South Bend

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: WSP USA Inc

Job Number: 810-140074-1

Login Number: 140074
List Number: 2
Creator: McDonald, Teigan

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC
List Creation: 03/07/25 09:45 PM

Question	Answer	Comment
The cooler's custody seal is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable,where thermal pres is required(<=/6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV:Container Temp acceptable,where thermal pres is required (<=/6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
Sample custody seals are intact.	N/A	
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A	